

Supplemental Table 10. Prevalence and Incidence of ESRD due to IgAN in Europe. Primary data obtained from the ERA-EDTA Registry.

Country	Yearly Incidence (PMP) #	Population* (1000s)	ERA-EDTA Prevalence Data (December 31, 2009)					
			Prevalent Cases (Counts)			IgAN Prevalence		
			ESRD	Primary GN	IgAN	% ESRD	% Primary GN	PMP ##
Greece	2.5	11,283	12,018	2,319	230	1.9	9.9	19.6
Spain	3.2	35,423	37,349	8,142	1,539	4.1	18.9	45.5
Italy	2.7	29,675	33,569	7,016	1,162	3.5	16.6	36.3
France	5.6	36,819	38,387	8,560	2,477	6.5	28.9	68.4
Austria	3.5	8,355	8,177	1,954	323	4.0	16.5	37.9
Belgium ^	3.6	10,760	12,558	2,286	443	3.5	19.4	40.3
The Netherlands	2.4	16,530	14,794	2,559	628	4.2	24.5	36.7
UK ^	4.2	61,791	50,513	9,294	2,718	5.4	29.2	44.8
Denmark	1.6	5,579	4,677	940	94	2.0	10.0	16.9
Sweden	5.4	9,299	8,277	2,160	732	8.8	33.9	78.3
Norway	5.7	4,829	4,066	1,212	246	6.1	20.3	51.5
Finland	5.0	5,339	4,166	904	336	8.1	37.2	60.3
Iceland	5.3	318	172	40	17	9.9	42.4	60.2

* Based on the 2009 ERA-EDTA report.

Incident ESRD cases due to IgAN per million population (PMP) based on a 3-year period (2007, 2008, and 2009).

Prevalent ESRD cases due to IgAN per million population (PMP) for 2009.

^ Patients younger than 20 years of age are not reported.

Data for France is based on the regions Alsace, Auvergne, Bourgogne, Bretagne, Champagne-Ardenne, Corse, Haute Normandie, Languedoc Roussillon, Limousin, Midi-Pyrénées, Pays de Loire, Picardie, Poitou-Charentes, Provence-Alpes-Côte d Azur, Rhône Alpes, and the overseas department of Reunion.

Data for Italy is based on the regions Abruzzi, Apulia, Basilicata, Calabria, Emilia-Romagna, Friuli-Venezia Giulia, Lombardy, Marche, Sardinia, Tuscany, Umbria, and Veneto.

Data for Spain is based on the regions Andalusia, Asturias, Basque country, Cantabria, Castile and Leon, Castile-La Mancha, Catalonia, Extremadura, Galicia and Valencian region.