CORRECTION

Correction: Polyethylene Oxide (PEO) and Polyethylene Glycol (PEG) Polymer Sieving Matrix for RNA Capillary Electrophoresis

Yoshinori Yamaguchi, Zhenqing Li, Xifang Zhu, Chenchen Liu, Dawei Zhang, Xiaoming Dou

There are errors in the author affiliations. The affiliations should appear as shown here: Yoshinori Yamaguchi^{1,2,3}, Zhenqing Li², Xifang Zhu⁴, Chenchen Liu², Dawei Zhang², Xiaoming Dou¹

¹ Institute of Photonics and Bio-medicine (IPBM), Graduate School of Science, East China University of Science and Technology (ECUST), 130 Meilong Road, Shanghai 200237, China

² Engineering Research Center of Optical Instrument and System, Ministry of Education, Shanghai Key Lab of Modern Optical System, University of Shanghai for Science and Technology, No. 516 Jungong Road, Shanghai 200093, China

³ Department of Applied Physics, Graduate School of Engineering, Osaka University, Yamadaoka, Suita-city, Osaka, 565–0871, Japan

⁴ College of Photoelectric Engineering, Changzhou Institute of Technology, No.299, Tongjiangnan Road, Changzhou, 213002, China

Reference

 Yamaguchi Y, Li Z, Zhu X, Liu C, Zhang D, Dou X (2015) Polyethylene Oxide (PEO) and Polyethylene Glycol (PEG) Polymer Sieving Matrix for RNA Capillary Electrophoresis. PLoS ONE 10(5): e0123406. doi: <u>10.1371/journal.pone.0123406</u> PMID: <u>25933347</u>



Citation: Yamaguchi Y, Li Z, Zhu X, Liu C, Zhang D, Dou X (2015) Correction: Polyethylene Oxide (PEO) and Polyethylene Glycol (PEG) Polymer Sieving Matrix for RNA Capillary Electrophoresis. PLoS ONE 10(6): e0131265. doi:10.1371/journal.pone.0131265

Published: June 18, 2015

Copyright: © 2015 Yamaguchi et al. This is an open access article distributed under the terms of the <u>Creative Commons Attribution License</u>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.