

**Table S5. Post-treatment Lyme disease-related condition presence by time of diagnosis (pre-Lyme disease and/or post-Lyme disease period), Lyme disease group\***

<b>Condition/EDC Category<sup>†</sup></b>	<b>Person Counts by Condition Presence in Pre and/or Post Lyme Period</b>			
	<b>Count of selected ICD Codes</b>	<b>Persons with Condition Pre Lyme Only</b>	<b>Persons with Condition Pre and Post Lyme</b>	<b>Persons with Condition Post Lyme Only</b>
<b>Arthropathy</b>	82	1,087	273	2,336
<b>Debility and undue fatigue</b>	3	3,918	1,192	6,612
<b>Musculoskeletal signs and symptoms</b>	41	5,198	1,826	8,753
<b>Nonspecific signs and symptoms</b>	8	588	127	1,300
<b>Peripheral neuropathy, neuritis</b>	72	1,685	669	3,301

\* Lyme disease sample includes only those persons with a test order and antibiotic treatment within 30 days of the test order, a diagnosis and antibiotic treatment within 30 days of the diagnosis, or a diagnosis, test order and antibiotic treatment within 30 days. The Lyme disease sample includes only those with 18 consecutive months of enrollment, including a 6-month “clean period” of enrollment prior to Lyme disease episode in which they were neither diagnosed with nor tested for Lyme disease.

<sup>†</sup> A person may have claims in multiple EDC categories.