Table S5. Heavy chain family usage of influenza-specific rmAbs.

	Influenza-Specific rmAbs							
Subject	Heavy Chain Family							
	1	2	3	4	5	6	7	Total
				N (%)				N
TIV01	5 (2.9%)	_*	56 (32.2%)	113 (64.9%)	-	-	-	174
TIV04	-	-	6 (75%)	2 (25%)	-	-	-	8
TIV14	-	-	1 (100%)	-	-	-	-	1
TIV21	6 (15.4%)	8 (20.5%)	17 (43.6%)	8 (20.5%)	-	-	-	39
TIV24	2 (6.5%)	-	28 (90.3%)	1 (3.2%)	-	-	-	31
total	13 (5.1%)	8 (3.2%)	108 (42.7%)	124 (49.0%)	-	-	-	253
EI02	-	-	2 (50%)	2 (50%)	-	-	-	4
EI03	4 (40%)	2 (20%)	1 (10%)	2 (20%)	1 (10%)	=	-	10
EI05	1 (33.3%)	1 (33.3%)	-	1 (33.3%)	-	-	-	3
EI07	2 (66.7%)	-	1 (33.3%)	-	-	-	-	3
EI12	-	-	-	-	-	-	-	0
EI13	7 (41.2%)		9 (52.9%)		1 (5.9%)	-	-	17
total	14 (37.8%)	3 (8.1%)	13 (35.1%)	5 (13.5%)	2 (5.4%)	-	-	37

^{* - =} No antibodies of this heavy chain family isolated.