

### SUPPLEMENTARY FIGURES

#### FIG S1 TASK-RELATED NETWORKS



ACTIVATION LIKELIHOOD ESTIMATION STATISTICAL MAPS RELATIVE TO THE ACTIVATION NETWORKS IN QUESTION: PAIN, MEMORY, TACTILE STIMULATION, INTEROCEPTION, ATTENTION, MOTOR EXECUTION, EMOTIONS AND REWARD. ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM $^3$  AND VISUALIZED USING BRAINVOYAGER QX 2.1.

## FIG S2 AREAS OF OVERLAP BETWEEN PAIN NETWORK AND MEMORY, TACTILE STIMULATION, INTEROCEPTION, ATTENTION, MOTOR EXECUTION, EMOTIONS AND REWARD NETWORKS.



ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM3

# FIG S3 CONJUNCTION ANALYSIS OF PAIN, MEMORY, TACTILE STIMULATION, INTEROCEPTION, ATTENTION, MOTOR EXECUTION, EMOTIONS AND REWARD NETWORKS.






FIG S4 "HUB" NETWORK METAANALYTIC CONNECTIVITY




ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM3

FIG S5 AREAS OF OVERLAP BETWEEN THE "HUB" NETWORK" META-ANALYTIC CONNECTIVITY AND THE FRONTOPARIETAL ATTENTIONAL NETWORK




ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM³ 100MM³ AND VISUALIZED USING MRICRON (HTTP://WWW.CABIATL.COM/MRICRO/MRICRON/INDEX.HTM).


#### FIG S6 NETWORK MODEL OF ANTERIOR INSULA FUNCTION.



#### FIG S7 MODEL OF THE INSULAR STIMULUS INTEGRATION




#### FIG S8 AREAS OF OVERLAP BETWEEN PAIN NETWORK AND TACTILE STIMULATION NETWORK.




ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM3

#### FIG S9 AREAS OF OVERLAP BETWEEN PAIN NETWORK AND ATTENTION NETWORK.




ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM3

### FIG S10 AREAS OF OVERLAP BETWEEN PAIN NETWORK AND EMOTION NETWORK.




ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM3

### FIG S11 AREAS OF OVERLAP BETWEEN PAIN NETWORK AND INTEROCEPTION NETWORK.




ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM3

### FIG S12 AREAS OF OVERLAP BETWEEN PAIN NETWORK AND MEMORY NETWORK.



ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM3

### FIG S13 AREAS OF OVERLAP BETWEEN PAIN NETWORK AND MOTOR NETWORK.



ALE MAPS WERE COMPUTED AT AN FDR-CORRECTED THRESHOLD OF P < 0.05; MINIMUM CLUSTER DIMENSION K>100MM3

#### **REFERENCES**

- 1. Uddin LQ, Menon V (2009) The anterior insula in autism: under-connected and under-examined. Neurosci Biobehav Rev 33: 1198-1203.
- 2. Craig AD (2009) How do you feel--now? The anterior insula and human awareness. Nat Rev Neurosci 10: 59-70.
- 3. Mesulam MM, Mufson EJ (1982) Insula of the old world monkey. III: Efferent cortical output and comments on function. J Comp Neurol 212: 38-52.
- 4. Mufson EJ, Mesulam MM (1982) Insula of the old world monkey. II: Afferent cortical input and comments on the claustrum. J Comp Neurol 212: 23-37.