

CORRECTION

Correction: Opponent learning with different representations in the cortico-basal ganglia pathways can develop obsession-compulsion cycle


The *PLOS Computational Biology* Staff

Notice of republication

An incorrect version of Revision 1, Author Response file was published in error. The publisher apologizes for this error. This article was republished on 10th July 2023 to correct for this error. Please download this article again to view the correct version.

Reference

1. Sato R, Shimomura K, Morita K (2023) Opponent learning with different representations in the cortico-basal ganglia pathways can develop obsession-compulsion cycle. *PLoS Comput Biol* 19(6): e1011206. <https://doi.org/10.1371/journal.pcbi.1011206> PMID: 37319256



OPEN ACCESS

Citation: The *PLOS Computational Biology* Staff (2023) Correction: Opponent learning with different representations in the cortico-basal ganglia pathways can develop obsession-compulsion cycle. *PLoS Comput Biol* 19(7): e1011338. <https://doi.org/10.1371/journal.pcbi.1011338>

Published: July 24, 2023

Copyright: © 2023 The PLOS Computational Biology Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.