

CORRECTION


Correction: Identifying essential factors for energy-efficient walking control across a wide range of velocities in reflex-based musculoskeletal systems

The *PLOS Computational Biology* Staff

The caption for Fig 9 is incorrect. The caption has been provided here.
The publisher apologizes for the error.

Reference

1. Koseki S, Hayashibe M, Owaki D. Identifying essential factors for energy-efficient walking control across a wide range of velocities in reflex-based musculoskeletal systems. *PLoS Comput Biol*. 2024;20(1):e1011771. <https://doi.org/10.1371/journal.pcbi.1011771> PMID: [38241215](https://pubmed.ncbi.nlm.nih.gov/38241215/)



OPEN ACCESS

Citation: The *PLOS Computational Biology* Staff (2026) Correction: Identifying essential factors for energy-efficient walking control across a wide range of velocities in reflex-based musculoskeletal systems. *PLoS Comput Biol* 22(7): e1014482. <https://doi.org/10.1371/journal.pcbi.1014482>

Published: July 6, 2026

Copyright: © 2026 The *PLOS Computational Biology* Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 9. Time evolution of the generated walking speed (orange) in response to the target velocity, v_x^{tar} (dotted line). v_x^{tar} was adjusted with a change rate of 0.05 m/s per second. See S1 Video.

<https://doi.org/10.1371/journal.pcbi.1014482.g009>