


CORRECTION

Correction: Normal Levels of Sox9 Expression in the Developing Mouse Testis Depend on the TES/TESCO Enhancer, but This Does Not Act Alone

Nitzan Gonen, Alexander Quinn, Helen C. O'Neill, Peter Koopman, Robin Lovell-Badge

Errors were introduced during the production process resulting in the incorrect labelling of the genotypes in Fig 5C. Please view the correct Fig 5 here.



OPEN ACCESS

Citation: Gonen N, Quinn A, O'Neill HC, Koopman P, Lovell-Badge R (2017) Correction: Normal Levels of *Sox9* Expression in the Developing Mouse Testis Depend on the TES/TESCO Enhancer, but This Does Not Act Alone. PLoS Genet 13(2): e1006584. doi:10.1371/journal.pgen.1006584

Published: February 1, 2017

Copyright: © 2017 Gonen et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 5. Immunofluorescence and real-time quantitative RT-PCR analysis of mice carrying TES deletion on *Sox8*-null background. (A) Immunostaining of 14.5 dpc XY testis of wild type and TES^{-/-} embryos on a *Sox8*-null background. (B) Immunostaining of 8 week-old XY testes of wild type and TES^{-/-} mice on a *Sox8*-null background. Testes were stained for SOX9 (green), FOXL2 (red) and DAPI (blue). (C) Gene expression in XY TES deleted gonads with *Sox8*-null background at 14.5 dpc. Data are presented as mean $2^{-\Delta\Delta Ct}$ values normalized to *Hprt*. Sample size represents number of individuals and is indicated below each genotype. Error bars show SEM of $2^{-\Delta\Delta Ct}$ values. P value is presented above the relevant bars (unpaired, two-tailed t-test on $2^{-\Delta\Delta Ct}$ values). Dark grey bars: XY; light grey bars: XX.

doi:10.1371/journal.pgen.1006584.g001

Reference

1. Gonen N, Quinn A, O'Neill HC, Koopman P, Lovell-Badge R (2017) Normal Levels of *Sox9* Expression in the Developing Mouse Testis Depend on the TES/TESCO Enhancer, but This Does Not Act Alone. PLoS Genet 13(1): e1006520. doi: [10.1371/journal.pgen.1006520](https://doi.org/10.1371/journal.pgen.1006520) PMID: [28045957](#)