

Shi et al., Table S3

| Pfam ID | Pfam HMM name | Known activities | GH | CW | TM |
|--|-----------------|--|----|-----|-----|
| Glycoside hydrolase catalytic domains | | | | | |
| pfam00232 | GH_1 | β-Glucosidase, β-galactosidase, β-mannosidase, others | 34 | 181 | 27 |
| pfam00703 | GH_2 | β-galactosidase, β-mannosidase, others | 1 | 9 | 33 |
| pfam02836 | GH_2_C | β-galactosidase, β-mannosidase, others | 1 | 13 | 40 |
| pfam02837 | GH_2_N | Sugar-binding domain | 1 | 10 | 48 |
| pfam00933 | GH_3 | β-glucosidase, xylose1,4-β-xylotidase, β-N-acetylhexosaminidase, others | 4 | 22 | 109 |
| pfam01915 | GH_3_C | C terminal domain (glucan-binding) | 2 | 22 | 61 |
| pfam02056 | GH_4 | β-Glucosidase, α-galactosidase, others | 5 | 18 | 20 |
| pfam11975 | GH_4C | C-terminal domain | 5 | 16 | 26 |
| pfam00150 | GH_5 | Cellulase | 1 | 1 | 125 |
| pfam01270 | GH_8 | Cellulase, Chitosanase, Endoglucanase Y, others | 1 | 0 | 21 |
| pfam00759 | GH_9 | Endoglucanase, cellobiohydrolase | 0 | 0 | 44 |
| pfam00331 | GH_10 | Xylanase, β-1,3-endoxylanase | 0 | 0 | 101 |
| pfam00457 | GH_11 | Xylanase | 0 | 0 | 19 |
| pfam00128 | Alpha_amylase | Alpha amylase, catalytic domain | 18 | 18 | 119 |
| pfam02806 | Alpha_amylase_N | Alpha amylase, N-terminal Ig-like domain | 2 | 2 | 1 |
| pfam02903 | Alpha_amylase_C | Alpha amylase, C-terminal all-beta domain | 2 | 2 | 8 |
| pfam00723 | GH_15 | Glucoamylase, glucodextranase, α,α-trehalase | 1 | 0 | 0 |
| pfam00722 | GH_16 | β-1,3(4)-Endoglucanase, others | 0 | 0 | 6 |
| pfam00704 | GH_18 | Chitinase, endo-β-N-acetylglucosaminidase, others | 4 | 2 | 28 |
| pfam00182 | GH_19 | Chitinase | 1 | 0 | 1 |
| pfam00728 | GH_20 | β-Hexosaminidase, lacto-N-biosidase | 2 | 5 | 18 |
| pfam02838 | GH_20b | N-acetyl-beta-hexosaminidase, domain 2 | 1 | 0 | 5 |
| pfam01464 | SLT | Soluble lytic murein transglycosylase and related regulatory proteins | 8 | 2 | 63 |
| pfam01183 | GH_25 | Lyzozyme M1 (1,4-β-N-acetyl muramidase) | 1 | 2 | 4 |
| pfam02156 | GH_26 | β-mannanase, β-1,3-xylanase | 0 | 0 | 20 |
| pfam02065 | Melibiase | α-galactosidase, Melibiase | 0 | 12 | 13 |
| pfam00295 | GH_28 | Endopolygalacturonase, others | 2 | 8 | 15 |
| pfam02055 | GH_30 | glucosylceramidase | 0 | 0 | 13 |
| pfam01055 | GH_31 | α-glucosidase, others | 12 | 18 | 37 |
| pfam08244 | GH_32C | C-terminal domain; β-fructosidases | 0 | 2 | 0 |
| pfam00251 | GH_32N | N-terminal domain, β-fructosidases, β-xylosidase | 0 | 5 | 2 |
| pfam01301 | GH_35 | β-galactosidase | 0 | 10 | 6 |
| pfam01074 | GH_38 | α-mannosidase | 2 | 11 | 18 |
| pfam07748 | GH_38C | C-terminal domain | 2 | 5 | 26 |
| pfam01229 | GH_39 | β-xylosidase, α-L-iduronidase | 0 | 3 | 15 |
| pfam02449 | GH_42 | β-galactosidase | 0 | 29 | 39 |
| pfam08533 | GH_42C | C-terminal domain | 1 | 5 | 9 |

| | | | | | |
|---|----------|--|-----|-----|------|
| pfam08532 | GH_42M | β -galactosidase trimerisation domain | 0 | 18 | 27 |
| pfam04616 | GH_43 | β -xylosidase, α -L-arabinofuranosidase, arabinanase, and xylanase | 4 | 32 | 63 |
| pfam02015 | GH_45 | Endoglucanase | 0 | 0 | 6 |
| pfam03512 | GH_52 | β -xylosidase | 0 | 0 | 3 |
| pfam07745 | GH_53 | Arabinogalactan, endo-1,4- β -galactosidase | 1 | 3 | 21 |
| pfam03065 | GH_57 | α -amylase, α -mannosidase, others | 0 | 0 | 52 |
| pfam03633 | GH_65C | C-terminal domain, Trehalose and maltose hydrolases | 0 | 3 | 3 |
| pfam03632 | GH_65m | Central catalytic domain, Trehalose and maltose hydrolases | 1 | 19 | 11 |
| pfam03636 | GH_65N | N-terminal domain, Trehalose and maltose hydrolases | 1 | 12 | 4 |
| pfam07477 | GH_67C | C-terminal domain, α -glucuronidase | 0 | 2 | 12 |
| pfam07488 | GH_67M | Middle domain, α -glucuronidase | 0 | 1 | 14 |
| pfam03648 | GH_67N | N-terminal domain, α -glucuronidase | 0 | 0 | 6 |
| pfam03663 | GH_76 | α -1,6-mannanases | 0 | 1 | 0 |
| pfam02446 | GH_77 | 4-alpha-glucanotransferase, amylo maltase | 5 | 2 | 34 |
| pfam03662 | GH_79N | N-terminal domain | 0 | 0 | 1 |
| pfam03644 | GH_85 | Endo- β -N-acetylglucosaminidase D | 0 | 3 | 0 |
| pfam07470 | GH_88 | Unsaturated glucuronyl hydrolase | 4 | 14 | 19 |
| pfam07971 | GH_92 | α -1,2-mannosidases | 0 | 7 | 3 |
| pfam10566 | GH_97 | α -glucosidase, α -galactosidase | 0 | 0 | 1 |
| pfam08306 | GH_98M | Endo- β -galactosidase | 0 | 0 | 1 |
| Total of GH family enzymes | | | 130 | 550 | 1421 |
| Carbohydrate Binding Modules (CBM) | | | | | |
| pfam02018 | CBM_4_9 | Amorphous cellulose-, xylan- and glucan-binding domain | 0 | 0 | 9 |
| pfam02839 | CBM_5_12 | C-terminal cellulose-binding domain of endoglucanase | 2 | 0 | 0 |
| pfam02922 | CBM_48 | Isoamylase N-terminal domain | 8 | 6 | 22 |
| pfam03422 | CBM_6 | Amorphous cellulose- and xylan-binding domain | 0 | 0 | 18 |
| pfam03425 | CBM_11 | Glucan-binding domain | 0 | 0 | 12 |
| pfam06204 | CBM_X | Putative carbohydrate binding domain | 0 | 0 | 47 |
| pfam08305 | NPCBM | NPCBM/NEW2 domain | 0 | 0 | 4 |
| pfam09212 | CBM27 | β -1, 4-manno oligosaccharides, carob galactomannan, and konjac glucomannan-binding domain | 0 | 0 | 1 |
| Total of CBM | | | 10 | 6 | 113 |
| Glycosyl Transferases | | | | | |
| pfam00852 | GT_10 | Galactoside, 3(4)-L-fucosyltransferase, and galactoside 3-fucosyltransferase | 0 | 0 | 1 |
| pfam00982 | GT_20 | α , α -trehalose-phosphate synthase [UDP-forming] | 2 | 0 | 0 |
| pfam01075 | GT_9 | lipopolysaccharide N-acetylglucosaminyltransferase, heptosyltransferase | 8 | 1 | 4 |
| pfam01501 | GT_8 | lipopolysaccharide galactosyltransferase, lipopolysaccharide glucosyltransferase, others | 1 | 2 | 6 |
| pfam01755 | GT_25 | lipopolysaccharide biosynthesis protein | 1 | 0 | 0 |
| pfam03033 | GT_28 | β -galactosyltransferase, β -glucosyltransferase, β -N-acetylglucosamine transferase | 2 | 3 | 20 |

| | | | | | |
|---------------------|-------|--|----|----|-----|
| pfam06165 | GT_36 | cellobiose phosphorylase, celldextrin phosphorylase, and chitobiose phosphorylase | 0 | 0 | 59 |
| pfam08323 | GT_5 | glycogen/starch synthases, ADP-glucose type | 2 | 4 | 32 |
| Total of GT enzymes | | | 16 | 10 | 122 |