

S9 Table. *S. japonicus* and *S. pombe* strains used in this work.

<i>S. japonicus</i> strains	Genotype	Source
NIG2017	<i>h</i> ⁺	Furuya & Niki 2009
NIG5091	<i>h</i> ⁻ <i>ura4-D3</i>	Furuya & Niki 2009
NIG2028	<i>h</i> ⁻	Furuya & Niki 2009
TSJ101	<i>h</i> ⁻ <i>ura4-D3 sty1::ura4</i> ⁺	This work
TSJ105	<i>h</i> ⁻ <i>ura4-D3 atf1::ura4</i> ⁺	This work
TSJ106	<i>h</i> ⁻ <i>ura4-D3 nrg1::ura4</i> ⁺	This work
TSJ108	<i>h</i> ⁻ <i>ura4-D3 nrg1::ura4</i> ⁺ <i>sty1::NatMX6</i>	This work
TSJ109	<i>h</i> ⁻ <i>ura4-D3 pyp1::ura4</i> ⁺	This work
TSJ110	<i>h</i> ⁻ <i>ura4-D3 pka1::ura4</i> ⁺	This work
<i>S. pombe</i> strains	Genotype	Source
L972	<i>h</i> ⁻ prototroph	U. Leupold