

CORRECTION

Correction: Supported Telemonitoring and Glycemic Control in People with Type 2 Diabetes: The Telescot Diabetes Pragmatic Multicenter Randomized Controlled Trial

Sarah H. Wild, Janet Hanley, Stephanie C. Lewis, John A. McKnight, Lucy B. McCoughan, Paul L. Padfield, Richard A. Parker, Mary Paterson, Hilary Pinnock, Aziz Sheikh, Brian McKinstry

S3 Table and S4 Table files each contained the S3 Table. The inclusion of S4 Table can be viewed below.

Supporting Information

S4 Table. Adverse events occurring during the trial by randomization group. This file includes supplementary data.
(DOCX)

Reference

- Wild SH, Hanley J, Lewis SC, McKnight JA, McCoughan LB, Padfield PL, et al. (2016) Supported Telemonitoring and Glycemic Control in People with Type 2 Diabetes: The Telescot Diabetes Pragmatic Multicenter Randomized Controlled Trial. PLoS Med 13(7): e1002098. doi:[10.1371/journal.pmed.1002098](https://doi.org/10.1371/journal.pmed.1002098) PMID: [27458809](#)



CrossMark
[click for updates](#)

OPEN ACCESS

Citation: Wild SH, Hanley J, Lewis SC, McKnight JA, McCoughan LB, Padfield PL, et al. (2016) Correction: Supported Telemonitoring and Glycemic Control in People with Type 2 Diabetes: The Telescot Diabetes Pragmatic Multicenter Randomized Controlled Trial. PLoS Med 13(10): e1002163. doi:[10.1371/journal.pmed.1002163](https://doi.org/10.1371/journal.pmed.1002163)

Published: October 19, 2016

Copyright: © 2016 Wild et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.