

CORRECTION

Correction: The kSORT Assay to Detect Renal Transplant Patients at High Risk for Acute Rejection: Results of the Multicenter AART Study

The *PLOS Medicine* Staff

The names of the eighth and nineteenth authors are incorrect. The correct name for the eighth author is: Adriana Zeevi. The correct name for the nineteenth author is: Elaine F. Reed.

Reference

1. Roedder S, Sigdel T, Salomonis N, Hsieh S, Dai H, Bestard O, et al. (2014) The kSORT Assay to Detect Renal Transplant Patients at High Risk for Acute Rejection: Results of the Multicenter AART Study. *PLoS Med* 11(11): e1001759. doi: [10.1371/journal.pmed.1001759](https://doi.org/10.1371/journal.pmed.1001759) PMID: [25386950](https://pubmed.ncbi.nlm.nih.gov/25386950/)



OPEN ACCESS

Citation: The *PLOS Medicine* Staff (2015) Correction: The kSORT Assay to Detect Renal Transplant Patients at High Risk for Acute Rejection: Results of the Multicenter AART Study. *PLoS Med* 12(2): e1001790. doi:10.1371/journal.pmed.1001790

Published: February 20, 2015

Copyright: © 2015 The *PLOS Medicine* Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.