

Analyte	p-value period 1	p-value period 2
ADAMTS13	0.0269	0.0008
D-Dimer	0.0008	0.0034
Eotaxin	0.0021	0.0034
E-selectin	<i>0.0543</i>	0.0192
Ferritin	0.0005	0.0034
FGF-Basic	0.0071	0.0170
Fibrinogen	0.0161	<i>0.1877</i>
Fractalkine	0.0008	0.0045
Granzyme-B	0.0005	0.0026
GRO- α	0.0005	0.0034
HGF	0.0206	<i>0.0773</i>
ICAM	<i>0.6304</i>	0.0084
IFN- α	0.0052	0.0192
IFN- γ	0.0019	0.0029
IL-8	0.0003	0.0015
IL-10	0.0005	0.0034
IL-12	0.0124	<i>0.0404</i>
IL-1 β	0.0005	0.0029
IL-29	0.0005	0.0033
IP-10	0.0005	0.0034
L-selectin	0.0005	0.0034
MCP-2	0.0005	0.0034
MCP-3	0.0005	0.0029
MIP-1 β	0.0163	<i>0.0388</i>
PECAM-1	0.0161	<i>0.0790</i>
PF-4	0.0209	0.0034
sCD40L	0.0011	0.0034
sFAS-L	0.0005	0.0033
Thrombomodulin	0.0007	0.0130
TNF-R1	0.0015	0.0190
TNF-RII	0.0021	0.0192
tPA	0.0053	<i>0.7697</i>
VCAM	0.0005	0.0034
VEGF	0.0005	0.0034
vWF	0.0005	0.0034

Any value in italics did not meet criteria for significance for the indicated disease period.