

CORRECTION

Correction: Hepatitis B and Delta Virus Are Prevalent but Often Subclinical Co-Infections among HIV Infected Patients in Guinea-Bissau, West Africa: A Cross-Sectional Study

The PLOS ONE Staff

The following information is missing from the Funding section: The National Cancer Institute (NCI), the Eunice Kennedy Shriver National Institute of Child Health & Human Development (NICHD) and the National Institute of Allergy and Infectious Diseases (NIAID) of the U.S. National Institutes of Health (NIH), as part of the International Epidemiologic Databases to Evaluate AIDS (IeDEA) under Award Number U01AI069919.

Reference

1. Hønge BL, Jespersen S, Medina C, Té DdS, da Silva ZJ, Lewin S, et al. (2014) Hepatitis B and Delta Virus Are Prevalent but Often Subclinical Co-Infections among HIV Infected Patients in Guinea-Bissau, West Africa: A Cross-Sectional Study. PLoS ONE 9(6): e99971. doi:[10.1371/journal.pone.0099971](https://doi.org/10.1371/journal.pone.0099971) PMID: [24915064](https://pubmed.ncbi.nlm.nih.gov/24915064/)



OPEN ACCESS

Citation: The PLOS ONE Staff (2015) Correction: Hepatitis B and Delta Virus Are Prevalent but Often Subclinical Co-Infections among HIV Infected Patients in Guinea-Bissau, West Africa: A Cross-Sectional Study. PLoS ONE 10(3): e0119246. doi:[10.1371/journal.pone.0119246](https://doi.org/10.1371/journal.pone.0119246)

Published: March 3, 2015

Copyright: © 2015 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.