

CORRECTION

Correction: Development of a real-time PCR for detection of *Staphylococcus pseudintermedius* using a novel automated comparison of whole-genome sequences

Koen M. Verstappen, Loes Huijbregts, Mirlin Spaninks, Jaap A. Wagenaar, Ad C. Fluit, Birgitta Duim


[S1 Table](#) does not contain the complete list of accession numbers. Please see the updated [S1 Table](#) below.

Supporting information

S1 Table. Strain characteristics with accession numbers.
(PDF)

Reference

1. Verstappen KM, Huijbregts L, Spaninks M, Wagenaar JA, Fluit AC, Duim B (2017) Development of a real-time PCR for detection of *Staphylococcus pseudintermedius* using a novel automated comparison of whole-genome sequences. PLoS ONE 12(8): e0183925. <https://doi.org/10.1371/journal.pone.0183925> PMID: 28859126



OPEN ACCESS

Citation: Verstappen KM, Huijbregts L, Spaninks M, Wagenaar JA, Fluit AC, Duim B (2017) Correction: Development of a real-time PCR for detection of *Staphylococcus pseudintermedius* using a novel automated comparison of whole-genome sequences. PLoS ONE 12(12): e0189520. <https://doi.org/10.1371/journal.pone.0189520>

Published: December 6, 2017

Copyright: © 2017 Verstappen et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.