

CORRECTION

Correction: Economic evaluation of the one-hour rule-out and rule-in algorithm for acute myocardial infarction using the high-sensitivity cardiac troponin T assay in the emergency department

Apoorva Ambavane, Bertil Lindahl, Evangelos Giannitsis, Julie Roiz, Joan Mendivil, Lutz Frankenstein, Richard Body, Michael Christ, Roland Bingisser, Aitor Alquezar, Christian Mueller, for the TRAPID-AMI investigators

The third author's name is spelled incorrectly. The correct name is: Evangelos Giannitsis.

Reference

1. Ambavane A, Lindahl B, Giannitis E, Roiz J, Mendivil J, Frankenstein L, et al. (2017) Economic evaluation of the one-hour rule-out and rule-in algorithm for acute myocardial infarction using the high-sensitivity cardiac troponin T assay in the emergency department. PLoS ONE 12(11): e0187662. <https://doi.org/10.1371/journal.pone.0187662> PMID: 29121105



OPEN ACCESS

Citation: Ambavane A, Lindahl B, Giannitsis E, Roiz J, Mendivil J, Frankenstein L, et al. (2018) Correction: Economic evaluation of the one-hour rule-out and rule-in algorithm for acute myocardial infarction using the high-sensitivity cardiac troponin T assay in the emergency department. PLoS ONE 13(1): e0191348. <https://doi.org/10.1371/journal.pone.0191348>

Published: January 11, 2018

Copyright: © 2018 Ambavane et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.