

CORRECTION

Correction: Sequence variation in *Plasmodium falciparum* merozoite surface protein-2 is associated with virulence causing severe and cerebral malaria

Suwanna Chaorattanakawee, Pornlada Nuchnoi, Hathairad Hananantachai, Uranan Tumkosit, David Saunders, Izumi Naka, Jun Ohashi, Jintana Patarapotikul


There are errors in the alignment of the data presented in Tables 2–6. Please see the corrected Tables 2–6 within [S1 File](#) below.

Supporting information

S1 File. Corrected versions of Tables 2–6.
(PDF)

Reference

1. Chaorattanakawee S, Nuchnoi P, Hananantachai H, Tumkosit U, Saunders D, Naka I, et al. (2018) Sequence variation in *Plasmodium falciparum* merozoite surface protein-2 is associated with virulence causing severe and cerebral malaria. PLoS ONE 13(1): e0190418. <https://doi.org/10.1371/journal.pone.0190418> PMID: 29342212



OPEN ACCESS

Citation: Chaorattanakawee S, Nuchnoi P, Hananantachai H, Tumkosit U, Saunders D, Naka I, et al. (2018) Correction: Sequence variation in *Plasmodium falciparum* merozoite surface protein-2 is associated with virulence causing severe and cerebral malaria. PLoS ONE 13(4): e0196694. <https://doi.org/10.1371/journal.pone.0196694>

Published: April 25, 2018

Copyright: © 2018 Chaorattanakawee et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.