

CORRECTION

Correction: Technical-efficiency analysis of end-of-life care in long-term care facilities within Europe: A cross-sectional study of deceased residents in 6 EU countries (PACE)

Anne B. Wichmann, Eddy M. M. Adang, Kris C. P. Vissers, Katarzyna Szczerbińska, Marika Kylänen, Sheila Payne, Giovanni Gambassi, Bregje D. Onwuteaka-Philipsen, Tinne Smets, Lieve Van den Block, Luc Deliens, Myrra J. F. J. Vernooij-Dassen, Yvonne Engels, on behalf of the PACE consortium

[Fig 1](#) is incorrect. The authors have provided a corrected version here.




Fig 1. Production function.

<https://doi.org/10.1371/journal.pone.0208199.g001>



OPEN ACCESS

Citation: Wichmann AB, Adang EMM, Vissers KCP, Szczerbińska K, Kylänen M, Payne S, et al. (2018) Correction: Technical-efficiency analysis of end-of-life care in long-term care facilities within Europe: A cross-sectional study of deceased residents in 6 EU countries (PACE). PLoS ONE 13(11): e0208199. <https://doi.org/10.1371/journal.pone.0208199>

Published: November 21, 2018

Copyright: © 2018 Wichmann et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Reference

1. Wichmann AB, Adang EMM, Vissers KCP, Szczerbińska K, Kylänen M, Payne S, et al. (2018) Technical-efficiency analysis of end-of-life care in long-term care facilities within Europe: A cross-sectional study of deceased residents in 6 EU countries (PACE). PLoS ONE 13(9): e0204120. <https://doi.org/10.1371/journal.pone.0204120> PMID: 30252888