

CORRECTION


Correction: Study on static properties and mechanism of basalt fibre reinforced cement cured red sandstone soil

Yao Long, Jun-Hua Chen, Jie-Jie Mu, Qi-Yun Wang

There is an error in affiliation 1 for author Yao Long. The correct affiliation 1 is: Hunan Provincial Engineering Research Center for Intelligent Operation and Maintenance of High-Speed Rail and Urban Rail Transit, Hunan Technical College of Railway High-speed, Hengyang 421002, China.

Reference

1. Long Y, Chen J-H, Mu J-J, Wang Q-Y. Study on static properties and mechanism of basalt fibre reinforced cement cured red sandstone soil. PLoS One. 2025;20(10):e0334316. <https://doi.org/10.1371/journal.pone.0334316> PMID: [41160551](https://pubmed.ncbi.nlm.nih.gov/41160551/)



OPEN ACCESS

Citation: Long Y, Chen J-H, Mu J-J, Wang Q-Y (2026) Correction: Study on static properties and mechanism of basalt fibre reinforced cement cured red sandstone soil. PLoS One 21(1): e0340039. <https://doi.org/10.1371/journal.pone.0340039>

Published: January 2, 2026

Copyright: © 2026 Long et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.