Correction

Correction: The CpG Island Encompassing the Promoter and First Exon of Human *DNMT3L* Gene Is a *PcG/TrX* Response Element (PRE)

The PLOS ONE Staff

The y-axis scales in Figure 6 and Figure 8A are incorrect. The authors have provided corrected versions of Figures 6 and 8 below.

Citation: The PLOS ONE Staff (2014) Correction: The CpG Island Encompassing the Promoter and First Exon of Human *DNMT3L* Gene Is a *PcG/TrX* Response Element (PRE). PLoS ONE 9(8): e105714. doi:10.1371/journal.pone.0105714

Published: August 12, 2014

Copyright: © 2014 The PLOS ONE Staff. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Figure 6. Epigenetic profile of DNMT3L DMC and the associated promoter in the reporter gene assay. A&B. Histone modifications associated with DNMT3L DMC and the hsp70 promoter in the transgene reporter assay in *Drosophila*. Histone ChIP analysis for the 3LL region (A) and the CMV promoter (B) in the *Drosophila* transgene assay. Chromatin immunoprecipitation was carried out on the 25.2.12 transgenic line with the indicated histone H3 modifications, followed by quantitative Real-time PCR. Comparison of histone modifications associated with the hsp70 promoter in the 3LL (3LL, black bars) transgenic lines and their flipped out counterparts (Δ 3LL, white bars). The H3 histone modifications examined are mentioned below the X-axis. Enrichment in the bound fraction is represented as percentage of Input. IgG - control ChIP with rabbit IgG. Error bars represent Standard Deviation (S.D.). Asterisks indicate significant difference (Student's t test, * - $p < 0.05$, ** - $p < 0.01$, *** - $p < 0.005$).
doi:10.1371/journal.pone.0093561.g006

Figure 8. Epigenetic profile of endogenous DNMT3L DMC. A- Histone modifications; B. DNA methylation profile of the 3L-L region at the endogenous *DNMT3L* locus in HEK293 cells. C. ChIP analysis for the 3L-L region at the endogenous *DNMT3L* locus using antibodies to the various Polycomb, Trithorax and Suvar proteins mentioned below the X-Axis. Enrichment in the bound fraction is represented as percentage of Input. IgG - control ChIP with rabbit IgG. Error bars represent Standard Deviation (S.D.). Asterisks indicate significant difference (Student's t test, * - $p < 0.05$, *** - $p < 0.001$, **** - $p < 0.0005$). doi:10.1371/journal.pone.0093561.g008

Reference

- Basu A, Dasari V, Mishra RK, Khosla S (2014) The CpG Island Encompassing the Promoter and First Exon of Human *DNMT3L* Gene Is a *PcG/TrXR* Response Element (PRE). PLoS ONE 9(4): e93561. doi:10.1371/journal.pone.0093561