Correction

Correction: Histopathological Changes by the Use of Soft Reline Materials: A Rat Model Study

The PLOS ONE Staff

FUNDUNESP is also one of the funders for this study. Please refer to the correct funding statement below:

This study was performed by MB as partial fulfillment of her PhD degree at the Ponta Grossa State University. This investigation was supported in part by Grants from the CAPES, Brazil (P.I. MB); Araucaria Foundation, Paraná, Brazil, 11386 (P.I. JHJ). In addition, this publication was supported by FUNDUNESP - Fundação para o Desenvolvimento da UNESP (0565/011/14-PROPe/CDC). The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Reference

1. Bail M, Meister LMB, Campagnoli EB, Jorge JH, Ban MdCI, et al. (2014) Histopathological Changes by the Use of Soft Reline Materials: A Rat Model Study. PLoS ONE 9(6): e100293. doi:10.1371/journal.pone.0100293

Citation: The PLOS ONE Staff (2014) Correction: Histopathological Changes by the Use of Soft Reline Materials: A Rat Model Study. PLoS ONE 9(8): e106701. doi:10.1371/journal.pone.0106701

Published: August 20, 2014

Copyright: © 2014 The PLOS ONE Staff. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.