Correction

Correction: Comparison of Mercury Contamination in Live and Dead Dolphins from a Newly Described Species, *Tursiops australis*

The PLOS ONE Staff

The legend for Table 3 should note that $\sum$ PCB concentrations are $\mu\text{g/kg}$ wet weight. Please see the complete, corrected Table 3 here.

Table 3. Concentrations of contaminants (mg/kg wet weight, $\sum$ PCB concentrations are $\mu\text{g/kg}$ wet weight) in blubber from individuals of *Tursiops australis* from Victoria, Australia.

Contaminant	Dead(n = 10)	Live (n = 20)
Arsenic	0.39 $\pm$ 0.07 (0.13-0.80)	0.23 $\pm$ 0.02 (<0.10-0.38)
Lead	0.061 $\pm$ 0.011 (0.05-0.14)	2.91 $\pm$ 0.615 (0.76-12)
Total Mercury	3.64 $\pm$ 0.68 (1.40-7.20)	1.32 $\pm$ 0.20 (0.32-4.20)
Selenium	2.88 $\pm$ 0.74 (0.80-6.50)	1.69 $\pm$ 0.2 (0.52-3.9)
$\sum$PCB	3275.54 $\pm$ 9.46.28 (258.80-8055.3)	-

Values shown are means with standard errors and range in brackets underneath.
doi:10.1371/journal.pone.0104887.t001

Reference

1. Monk A, Charlton-Robb K, Buddhadasa S, Thompson RM (2014) Comparison of Mercury Contamination in Live and Dead Dolphins from a Newly Described Species, *Tursiops australis*. PLoS ONE 9(8): e104887. doi:10.1371/journal.pone.0104887

Citation: The PLOS ONE Staff (2014) Correction: Comparison of Mercury Contamination in Live and Dead Dolphins from a Newly Described Species, *Tursiops australis*. PLoS ONE 9(11): e113861. doi:10.1371/journal.pone.0113861

Published: November 12, 2014

Copyright: © 2014 The PLOS ONE Staff. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.