CORRECTION

Correction: Utility of Corrected QT Interval in Orthostatic Intolerance

The *PLOS ONE* Staff

There is an error in affiliation 3 for author Ki-Jong Park. Affiliation 3 should be: Department of Neurology, Institute of Health Science, Gyeongsang National University School of Medicine, Jinju, Korea.

Reference

1. Kim JB, Hong S, Park J-W, Cho D-H, Park K-J, Kim B-J (2014) Utility of Corrected QT Interval in Orthostatic Intolerance. PLoS ONE 9(9): e106417. doi:[10.1371/journal.pone.0106417](https://doi.org/10.1371/journal.pone.0106417) PMID: [25180969](https://pubmed.ncbi.nlm.nih.gov/25180969/)

OPEN ACCESS

Citation: The *PLOS ONE* Staff (2015) Correction: Utility of Corrected QT Interval in Orthostatic Intolerance. PLoS ONE 10(2): e0118166. doi:[10.1371/journal.pone.0118166](https://doi.org/10.1371/journal.pone.0118166)

Published: February 6, 2015

Copyright: © 2015 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.