CORRECTION

Correction: The Effectiveness of Teleglaucoma versus In-Patient Examination for Glaucoma Screening: A Systematic Review and Meta-Analysis

The *PLOS ONE* Staff

There is an error in the second author's name. The correct name is: Maya M. Jeyaraman. The correct citation is: Thomas S-M, Jeyaraman MM, Hodge WG, Hutnik C, Costella J, Malvankar-Mehta MS. (2014) The Effectiveness of Teleglaucoma versus In-Patient Examination for Glaucoma Screening: A Systematic Review and Meta-Analysis. PLoS ONE 9(12): e113779. doi:[10.1371/journal.pone.0113779](https://doi.org/10.1371/journal.pone.0113779)

Reference

1. Thomas S-M, Jeyaraman MM, Hodge WG, Hutnik C, Costella J, Malvankar-Mehta MS. (2014) The Effectiveness of Teleglaucoma versus In-Patient Examination for Glaucoma Screening: A Systematic Review and Meta-Analysis. PLoS ONE 9(12): e113779. doi: [10.1371/journal.pone.0113779](https://doi.org/10.1371/journal.pone.0113779) PMID: [25479593](https://pubmed.ncbi.nlm.nih.gov/25479593/)

OPEN ACCESS

Citation: The *PLOS ONE* Staff (2015) Correction: The Effectiveness of Teleglaucoma versus In-Patient Examination for Glaucoma Screening: A Systematic Review and Meta-Analysis. PLoS ONE 10(3): e0118688. doi:[10.1371/journal.pone.0118688](https://doi.org/10.1371/journal.pone.0118688)

Published: March 5, 2015

Copyright: © 2015 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.