CORRECTION

Correction: Quantitative Evaluation of the Reticuloendothelial System Function with Dynamic MRI

The *PLOS ONE* Staff

There are errors in the Funding section. The correct funding information is as follows: This study was partly supported by US Army Medical Research & Material Command Grant No. W81XWH-10-1-0604 and the National Center for Advancing Translational Sciences of the National Institutes of Health under award number UL1TR000003.

Reference

1. Liu T, Choi H, Zhou R, Chen I-W (2014) Quantitative Evaluation of the Reticuloendothelial System Function with Dynamic MRI. PLoS ONE 9(8): e103576. doi: [10.1371/journal.pone.0103576](https://doi.org/10.1371/journal.pone.0103576) PMID: [25090653](https://pubmed.ncbi.nlm.nih.gov/25090653/)

OPEN ACCESS

Citation: The *PLOS ONE* Staff (2015) Correction: Quantitative Evaluation of the Reticuloendothelial System Function with Dynamic MRI. PLoS ONE 10(3): e0122323. doi:10.1371/journal.pone.0122323

Published: March 23, 2015

Copyright: © 2015 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.