CORRECTION

Correction: Updated *Campylobacter jejuni* Capsule PCR Multiplex Typing System and Its Application to Clinical Isolates from South and Southeast Asia

Frédéric Poly, Oralak Serichantalergs, Janelle Kuroiwa, Piyarat Pootong, Carl Mason, Patricia Guerry, Craig T. Parker

The authors wish to correct the Competing Interests statement to state that authors Frédéric Poly, Patricia Guerry, and Craig T. Parker hold a patent related to the multiplex PCR technique presented in this article, "Multiplex amplification reaction method for determination of *Campylobacter jejuni* Penner/capsule type" (US 20150044682 A1). Because the patent rights belong to the United States Navy, the authors were unaware that this patent should be disclosed.

Reference

1. Poly F, Serichantalergs O, Kuroiwa J, Pootong P, Mason C, Guerry P, et al. (2015) Updated *Campylobacter jejuni* Capsule PCR Multiplex Typing System and Its Application to Clinical Isolates from South and Southeast Asia. PLoS ONE 10(12): e0144349. doi:[10.1371/journal.pone.0144349](https://doi.org/10.1371/journal.pone.0144349) PMID: [26630669](https://pubmed.ncbi.nlm.nih.gov/26630669/)

OPEN ACCESS

Citation: Poly F, Serichantalergs O, Kuroiwa J, Pootong P, Mason C, Guerry P, et al. (2016) Correction: Updated *Campylobacter jejuni* Capsule PCR Multiplex Typing System and Its Application to Clinical Isolates from South and Southeast Asia. PLoS ONE 11(3): e0151410. doi:[10.1371/journal.pone.0151410](https://doi.org/10.1371/journal.pone.0151410)

Published: March 7, 2016

Copyright: © 2016 Poly et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.