CORRECTION

Correction: T2-Imaging to Assess Cerebral Oxygen Extraction Fraction in Carotid Occlusive Disease: Influence of Cerebral Autoregulation and Cerebral Blood Volume

The *PLOS ONE* Staff

Notice of Republication

This article was republished on September 8, 2016, to correct an error in the article title. The phrase “T2-Imaging” should be “T2’-Imaging.” The publisher apologizes for the error. Please download this article again to view the correct version. The originally published, uncorrected article and the republished, corrected article are provided here for reference.

Supporting Information

S1 File. Originally published, uncorrected article.
(PDF)

S2 File. Republished, corrected article.
(PDF)

Reference

1. Seiler A, Deichmann R, Pfeilschifter W, Hattingen E, Singer OC, Wagner M (2016) T2-Imaging to Assess Cerebral Oxygen Extraction Fraction in Carotid Occlusive Disease: Influence of Cerebral Autoregulation and Cerebral Blood Volume. *PLoS ONE* 11(8): e0161408. doi: [10.1371/journal.pone.0161408](https://doi.org/10.1371/journal.pone.0161408) PMID: [27560515](https://pubmed.ncbi.nlm.nih.gov/27560515/)

OPEN ACCESS

Citation: The *PLOS ONE* Staff (2016) Correction: T2-Imaging to Assess Cerebral Oxygen Extraction Fraction in Carotid Occlusive Disease: Influence of Cerebral Autoregulation and Cerebral Blood Volume. *PLoS ONE* 11(10): e0164749. doi:10.1371/journal.pone.0164749

Published: October 12, 2016

Copyright: © 2016 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.