CORRECTION

Correction: The BD FACSPresto Point of Care CD4 Test accurately enumerates CD4+ T cell counts

Priska Bwana, Lara Vojnov, Maureen Adhiambo, Catherine Akinyi, Joy Mwende, Marta Prescott, Matilu Mwau

The incorrect image is used for [Fig 1](#). Please see the correct [Fig 1](#) here.

OPEN ACCESS

Citation: Bwana P, Vojnov L, Adhiambo M, Akinyi C, Mwende J, Prescott M, et al. (2016) Correction: The BD FACSPresto Point of Care CD4 Test accurately enumerates CD4+ T cell counts. PLoS ONE 11(12): e0167667. doi:10.1371/journal.pone.0167667

Published: December 9, 2016

Copyright: © 2016 Bwana et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Fig 1. Linear regression (a, c, e) and Bland-Altman (b, d, f) analyses of absolute CD4+ T cell counts between the BD FACSPresto and BD FACSCalibur (a and b); the BD FACSPresto and BD FACSCCount (c and d); and the BD FACSPresto and Alere Pima (e and f).

doi:10.1371/journal.pone.0167667.g001

Reference

1. Bwana P, Vojnov L, Adhiambo M, Akinyi C, Mwende J, Prescott M, et al. (2015) The BD FACSPresto Point of Care CD4 Test Accurately Enumerates CD4+ T Cell Counts. PLoS ONE 10(12): e0145586. doi: [10.1371/journal.pone.0145586](https://doi.org/10.1371/journal.pone.0145586) PMID: [26720601](https://pubmed.ncbi.nlm.nih.gov/26720601/)