CORRECTION

Correction: Dual Energy CT Pulmonary Angiography with 6g Iodine—A Propensity Score-Matched Study

Andreas Meier, Kai Higashigaito, Katharina Martini, Moritz Wurnig, Burkhardt Seifert, Dagmar I. Keller, Thomas Frauenfelder, Hatem Alkadhi

The sixth author's name is incorrect in the published article. The correct name is: Dagmar I. Keller. The correct citation is: Meier A, Higashigaito K, Martini K, Wurnig M, Seifert B, Keller DI, et al. (2016) Dual Energy CT Pulmonary Angiography with 6g Iodine—A Propensity Score-Matched Study. PLoS ONE 11(12): e0167214. doi:[10.1371/journal.pone.0167214](https://doi.org/10.1371/journal.pone.0167214)

Reference

1. Meier A, Higashigaito K, Martini K, Wurnig M, Seifert B, Keller D, et al. (2016) Dual Energy CT Pulmonary Angiography with 6g Iodine—A Propensity Score-Matched Study. PLoS ONE 11(12): e0167214. doi:[10.1371/journal.pone.0167214](https://doi.org/10.1371/journal.pone.0167214) PMID: [27907049](https://pubmed.ncbi.nlm.nih.gov/27907049/)

OPEN ACCESS

Citation: Meier A, Higashigaito K, Martini K, Wurnig M, Seifert B, Keller DI, et al. (2017) Correction: Dual Energy CT Pulmonary Angiography with 6g Iodine—A Propensity Score-Matched Study. PLoS ONE 12(2): e0172251. doi:[10.1371/journal.pone.0172251](https://doi.org/10.1371/journal.pone.0172251)

Published: February 9, 2017

Copyright: © 2017 Meier et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.