CORRECTION

Correction: Cost-efficient strategy for reducing PM 2.5 levels in the Tokyo metropolitan area: An integrated approach with air quality and economic models

Yushi Kunugi, Toshi H. Arimura, Kazuyuki Iwata, Eiji Komatsu, Yoshie Hirayama

The images for Figs 1 and 2 are incorrectly switched. The image that appears as Fig 1 should be Fig 2, and the image that appears as Fig 2 should be Fig 1. The figure captions appear in the correct order.

OPEN ACCESS

Citation: Kunugi Y, Arimura TH, Iwata K, Komatsu E, Hirayama Y (2019) Correction: Cost-efficient strategy for reducing PM 2.5 levels in the Tokyo metropolitan area: An integrated approach with air quality and economic models. PLoS ONE 14(1): e0211255. <https://doi.org/10.1371/journal.pone.0211255>

Published: January 17, 2019

Copyright: © 2019 Kunugi et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Fig 1. Seven prefectures in the Tokyo metropolitan area.

<https://doi.org/10.1371/journal.pone.0211255.g001>

Fig 2. Relationship between total abatement costs and reduction rates by pollutant and by prefecture.

<https://doi.org/10.1371/journal.pone.0211255.g002>

Reference

1. Kunugi Y, Arimura TH, Iwata K, Komatsu E, Hirayama Y (2018) Cost-efficient strategy for reducing PM 2.5 levels in the Tokyo metropolitan area: An integrated approach with air quality and economic models. PLoS ONE 13(11): e0207623. <https://doi.org/10.1371/journal.pone.0207623> PMID: 30475829