CORRECTION

Correction: Safety and efficacy of tacrolimus-coated silicone plates as an alternative to mitomycin C in a rabbit model of conjunctival fibrosis

Sam Young Yoon, Eun-Soon Kim, Gill Sang Han, Leejee H. Suh, Hyun Suk Jung, Hungwon Tchah, Jae Yong Kim

In the Funding statement, the grant number from the funder Ministry of Education, Science and Technology (MEST) is listed incorrectly. The correct grant number is: NRF-2018R1D1A1B07043010.

Reference

1. Yoon SY, Kim E-S, Han GS, Suh LH, Jung HS, Tchah H, et al. (2019) Safety and efficacy of tacrolimus-coated silicone plates as an alternative to mitomycin C in a rabbit model of conjunctival fibrosis. PLoS ONE 14(7): e0219194. <https://doi.org/10.1371/journal.pone.0219194> PMID: 31276522

OPEN ACCESS

Citation: Yoon SY, Kim E-S, Han GS, Suh LH, Jung HS, Tchah H, et al. (2019) Correction: Safety and efficacy of tacrolimus-coated silicone plates as an alternative to mitomycin C in a rabbit model of conjunctival fibrosis. PLoS ONE 14(12): e0226662. <https://doi.org/10.1371/journal.pone.0226662>

Published: December 12, 2019

Copyright: © 2019 Yoon et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.