CORRECTION

Correction: Evaluation of molecular inversion probe versus TruSeq® custom methods for targeted next-generation sequencing

Rowida Almomani, Margherita Marchi, Maurice Sopacua, Patrick Lindsey, Erika Salvi, Bart de Koning, Silvia Santoro, Stefania Magri, Hubert J. M. Smeets, Filippo Martinelli Boneschi, Rayaz A. Malik, Dan Ziegler, Janneke G. J. Hoeijmakers, Gidon Bönhof, Sulayman Dib-Hajj, Stephen G. Waxman, Ingemar S. J. Merckies, Giuseppe Lauria, Catharina G. Faber, Monique M. Gerrits, on behalf on the PROPANE Study Group

The eleventh author's middle initial is incorrect. The correct name is: Rayaz A. Malik.

Reference

1. Almomani R, Marchi M, Sopacua M, Lindsey P, Salvi E, Koning Bd, et al. (2020) Evaluation of molecular inversion probe versus TruSeq® custom methods for targeted next-generation sequencing. PLoS ONE 15(9): e0238467. <https://doi.org/10.1371/journal.pone.0238467> PMID: 32877464

OPEN ACCESS

Citation: Almomani R, Marchi M, Sopacua M, Lindsey P, Salvi E, de Koning B, et al. (2021) Correction: Evaluation of molecular inversion probe versus TruSeq® custom methods for targeted next-generation sequencing. PLoS ONE 16(3): e0248250. <https://doi.org/10.1371/journal.pone.0248250>

Published: March 2, 2021

Copyright: © 2021 Almomani et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.