

CORRECTION

Correction: Alternative Ultrasound Gel for a Sustainable Ultrasound Program: Application of Human Centered Design

The *PLOS ONE* Staff

The seventh author's name is spelled incorrectly. The correct name is: Sarah K. Wendel. The publisher apologizes for the error.

Reference

1. Salmon M, Salmon C, Bissinger A, Muller MM, Gebreyesus A, Geremew H, et al. (2015) Alternative Ultrasound Gel for a Sustainable Ultrasound Program: Application of Human Centered Design. PLoS ONE 10(8): e0134332. doi:[10.1371/journal.pone.0134332](https://doi.org/10.1371/journal.pone.0134332) PMID: [26252003](https://pubmed.ncbi.nlm.nih.gov/26252003/)



OPEN ACCESS

Citation: The *PLOS ONE* Staff (2015) Correction: Alternative Ultrasound Gel for a Sustainable Ultrasound Program: Application of Human Centered Design. PLoS ONE 10(9): e0138400. doi:[10.1371/journal.pone.0138400](https://doi.org/10.1371/journal.pone.0138400)

Published: September 14, 2015

Copyright: © 2015 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.