	Ipsos Healthcare	14-026370
Ipsos		

Ipsos Healthcare Minerva House, 5 Montague Close, London SE1 9AY Tel: +44 20 3059 5000 Fax: +44 20 3059 4998 Internal client use only

Bill & Melinda Gates Foundation VMMC Extension - Sustainability 14-026370

Phase 2 : QUANTITATIVE Screener and Questionnaire Zambia & Zimbabwe

Quotas

(detailed quotas by district for each country are on following pates)

	Zambia	Zimbabwe	TOTALs
Fathers	500	500	1,000
Mothers	500	500	1,000
TOTALs	1,000	1,000	2,000

TEXT COLOR CODING IN QNR:

- BLUE CAPS = INTERVIEWER NOTES
- RED CAPS = PROGRAMMER NOTES
- Black text = Questionnaire content

	Ipsos Healthcare	14-026370
Ipsos		

ZAMBIA QUOTAS

Sustaina	ability Sampling	1,000	50.0%	50.0%	
	Province	District	Mothers	Fathers	TOTALs
1	Central	Chibombo	15	15	30
2	Central	Kapiri Mposhi	12	12	24
3	Central	Mumbwa	11	11	22
4	Central	Kabwe	10	10	20
5	Central	Serenje	8	8	16
6	Central	Mkushi	8	8	16
7	Eastern	Chipata	25	25	50
8	Eastern	Kitwe	24	24	48
9	Eastern	Ndola	21	21	42
10	Eastern	Petauke	18	18	36
11	Eastern	Lundazi	17	17	34
12	Eastern	Katete	13	13	26
13	Eastern	Chingola	10	10	20
14	Eastern	Mufulira	7	7	14
15	Eastern	Luanshya	7	7	14
16	Luapula	Mansa	11	11	22
17	Luapula	Samfya	10	10	20
18	Luapula	Nchelenge	8	8	16
19	Luapula	Kawambwa	7	7	14
20	Luapula	Mwense	6	6	12
21	Lusaka	Lusaka	79	79	158
22	Lusaka	Kafue	11	11	22
23	Lusaka	Chongwe	9	9	18
24	Northern	Kasama	14	14	28
25	Northern	Mbala	13	13	26
26	Northern	Mpika	13	13	26
27	Northern	Isoka	10	10	20
28	Northern	Chinsali	9	9	18
	Northern	Mungwi	8	8	16
	Northern	Luwingu	8	8	16
31	Northern	Nakonde	7	7	14
	Northern	Kaputa	7	7	14
	Northern	Mporokosos	7	7	14
	Southern	Mazabuka	14	14	28
	Southern	Kalomo	13	13	26
	Southern	Choma	13	13	26
	Southern	Monze	10	10	20
38	Southern	Livingstone	7	7	14
			500	500	1,000

Internal / Client Use Only		Page 2 of 33
----------------------------	--	--------------

	Ipsos Healthcare	14-026370
Ipsos		

ZIMBABWE QUOTAS

	Sample Sizes by District for	Sustainability			
			Mothers	Fathers	TOTALs
1	Bulawayo	BULAWAYO	45	45	90
2	Chitungwiza	CHITUNGWIZA	19	19	38
3	Harare	HARARE	85	85	170
4	Manicaland	MUTARE	22	22	44
5	Manicaland	CHIPINGE	14	14	28
6	Manicaland	MAKONI	12	12	24
7	Manicaland	BUHERA	10	10	20
8	Manicaland	MUTASA	9	9	18
9	Mashonaland Central	MT. DARWIN	11	11	22
10	Mashonaland Central	GURUVE	10	10	20
11	Mashonaland Central	BINDURA	9	9	18
12	Mashonaland East	GOROMONZI	11	11	22
13	Mashonaland East	SEKE	10	10	20
14	Mashonaland East	MARONDERA	9	9	18
15	Mashonaland East	MUREWA	8	8	16
16	Mashonaland West	HURUNGWE	16	16	32
17	Mashonaland West	KADOMA	13	13	26
18	Mashonaland West	ZVIMBA	12	12	24
19	Mashonaland West	MAKONDE	9	9	18
20	Masvingo	MASVINGO	16	16	32
21	Masvingo	CHIREDZI	13	13	26
22	Masvingo	ZAKA	10	10	20
23	Masvingo	BIKITA	8	8	16
24	Masvingo	CHIVI	8	8	16
25	Matabelaland North	HWANGE	8	8	16
26	Matabelaland North	BINGA	8	8	16
27	Matabelaland North	NKAYI	8	8	16
28	Matabeleland South	GWANDA	8	8	16
29	Matabeleland South	BEIT BRIDGE	8	8	16
30	Matabeleland South	BULILIMA	8	8	16
31	Matabeleland South	INSIZA	8	8	16
32	Midlands	KWEKWE	17	17	34
33	Midlands	GOKWE SOUTH	16	16	32
34	Midlands	GWERU	13	13	26
35	Midlands	MBERENGWA	9	9	18
			500	500	1,000

Internal / Client Use Only		Page 3 of 33
----------------------------	--	--------------

Ipsos Healthcare	14-026370	
Ipsos		

INTRODUCTION

This survey is being conducted by an independent market research agency on behalf of an international organization.

This research is being conducted to understand attitudes and perceptions about health issues for young boys.

Any information you give will be treated in the strictest confidence and results will only be reported back on an aggregated basis. You will receive an honorarium for your participation.

The following discussion should take about 30 minutes

Are you happy to participate in the interview on this basis?

SINGLE CODE ONLY

- 1. Yes (CONTINUE)
- 2. No (CLOSE)

	Ipsos Healthcare	14-026370
Ipsos		

SCREENER

Section 1 -	Section 1 - Screener			
S0	SELECT COUNTRY ONE ANSWER	SINGLE CODE 1. ZAMBIA (CONTINUE) 2. ZIMBABWE (CONTINUE) 3. OTHER (CLOSE)		
S0a	INTERVIEWER, PLEASE, COMPLETE. SETTING. ONLY ONE ANSWER	SINGLE CODE 1. Urban (CONTINUE) 2. Rural (CONTINUE)		
SOb	INTERVIEWER, PLEASE, COMPLETE PREFERRED LANGUAGE FOR INTERVIEW. ONLY ONE ANSWER	SINGLE CODE 1. Bemba (CONTINUE) 2. Nyanga (CONTINUE) 3. Togna (CONTINUE) 4. Shona (CONTINUE) 5. Ndebele (CONTINUE) 6. English (CONTINUE)		
S1	SELECT GENDER OF RESPONDENT ONE ANSWER	SINGLE CODE 1. Male (CONTINUE) 2. Female (CONTINUE)		
S2	How many children do you have, not including any unborn children you may be expecting? ENTER NUMBER	# children RANGE: 0 – 20 CONTINUE		
S3	ASK S3 IF S2 > 0; ELSE SKIP T S4 How many of your children are male, if any? ENTER NUMBER	# male children RANGE: 0 – 20 IF = 0, CLOSE		
S4	ASK S4 IF S3 > 0; ELSE SKIP TO S5 Are any of your male children ages 0 to 2 months old? SINGLE ANSWER	SINGLE CODE 1. Yes (CONTINUE) 2. No (CONTINUE)		
S5	Are you currently expecting any unborn children from a current pregnancy? SINGLE ANSWER	SINGLE CODE 1. Yes (CONTINUE) 2. No (CONTINUE)		
S6	ASK S6 IF S5 = 1 (YES); ELSE SKIP TO S7 Is it possible or probable that the unborn child or children you are expecting may be a boy or boys? SINGLE ANSWER	SINGLE CODE 1. Yes (CONTINUE) 2. No (IF S4 = 2 AND S6 = 2, CLOSE) 3. Don't know (CONTINUE)		
S7	In which province do you currently live? DO NOT READ OUT LIST	USE LIST 1 IN APPENDIX SINGLE CODE		
S8	In which district do you currently live? DO NOT READ OUT LIST	USE LIST 2 IN APPENDIX SINGLE CODE		

Internal / Client Use Only		Page 5 of 33
----------------------------	--	--------------

	Ipsos Healthcare	14-026370
Ipsos		

S9	ASK S9 IF S4 = 1 (YES)	USE LIST 1 IN APPENDIX
	In which province was your youngest boy	SINGLE CODE
	born?	
	DO NOT READ OUT LIST	
S10	ASK S10 IF S4 = 1 (YES)	USE LIST 2 IN APPENDIX
	In which district was your youngest boy	SINGLE CODE
	born?	
	DO NOT READ OUT LIST	
S11	ASK S11 IF S6 = 1 (YES)	USE LIST 1 IN APPENDIX
	In which province is your possible or	SINGLE CODE
	probable future son most likely to be born?	
	DO NOT READ OUT LIST	
S12	ASK S12 IF S6 = 1 (YES)	USE LIST 2 IN APPENDIX
	In which district is your possible or	SINGLE CODE
	probable future son most likely to be born?	
	DO NOT READ OUT LIST	
S13	ASK S13 IF S4 = 1 (YES)	SINGLE CODE
	Thinking of your boy, aged 0 to 2 months –	1. Yes (CLOSE)
	is he circumcised?	2. No (CONTINUE)
		3. Don't know/Don't know what circumcision
		is/unsure (CLOSE)
S14	How old are you?	years old
		RANGE: 0-99
		IF < 18, CLOSE

	Ipsos Healthcare	14-026370
Ipsos		

MAIN QUESTIONNAIRE

Section 2 – Health concerns

IF S4 = 1 (YES - INFANT), SHOW THE FOLLOWING TEXT:

As we proceed through the rest of the survey, now, please answer the questions always thinking of your young boy, who is 0 to 2 months old.

IF S6 = 1 (YES – UNBORN BOY), SHOW THE FOLLOWING TEXT:

As we proceed through the rest of the survey, now, please answer the questions always thinking of your possible or probable future son.

A1	When you think about the future for your baby	MULTICODE
	boy, which of the following are the most	ALLOW SELECTION OF ONLY TWO ANSWERS;
	important to you?	MUST SELECT TWO ANSWERS
	Please select the TWO most important.	RANDOMIZE LIST
	READ LIST	 He is financially successful.
	MUST SELECT TWO FROM LIST	2. He is free of diseases.
		He gets a good education.
		4. He eats well to grow well.
		5. He becomes someone well recognized in
		the community.
		6. He has a family and kids of his own
		7. He is faithful to his religion
42	Military of the fall and a graph of the second of	MULTICODE
A2	Which of the following are the most important	MULTICODE
	aspects when it comes to your baby's health?	ALLOW SELECTION OF ONLY TWO ANSWERS;
	Please select the TWO most important.	MUST SELECT TWO ANSWERS
	READ LIST	RANDOMIZE LIST
	MUST SELECT TWO FROM LIST	Getting immunized as soon as possible
		Being protected from HIV infection
		3. Being breastfed rather than formula
		4. Being clean and hygienic
		5. Being protected from future sexually
		transmitted infections (STIs)
		6. Being circumcised

Internal / Client Use Only		Page 7 of 33
----------------------------	--	--------------

	Ipsos Healthcare	14-026370
Ipsos		

Section 3 – HIV	Section 3 – HIV knowledge		
B1	Are you aware of any methods for minimizing	SINGLE CODE	
	your own chances of getting infected with HIV?	1. Yes	
		2. No	
B2	ASK B2 IF B1 = 1 (YES); ELSE SKIP TO SECTION 4	MULTI CODE	
	Please tell me ALL the methods you are aware of	 Using a condom during sex 	
	for minimizing your chances of getting infected	Being faithful to one partner	
	with HIV.	Abstaining from sex	
	DO NOT READ LIST – USE LIST TO CODE	4. ART- Antiretroviral therapy	
	ANSWERS	5. Going for HIV counselling at a clinic	
	PROBE UNTIL NO MORE ANSWERS ARE GIVEN -	6. Taking medicine to help me prevent HIV	
	ANY OTHER METHODS YOU ARE AWARE OF?	7. If the man is circumcised (VMMC)	
	SELECT ALL MENTIONED	8. PMTCT- Preventing HIV being transmitted to the baby by the mother	
		9. Other (specify) – USE POP UP BOX TO CAPTURE	
<u> </u>			

	Ipsos Healthcare	14-026370
Ipsos		

Section 4 – MC	General Knowledge	
C1	Please rate how familiar you feel you are with male circumcision, or VMMC, for adolescent boys or men. Rate your feeling of familiarity with it using a 7-point scale where 7 means 'Very Familiar' and 1 means 'Not At All Familiar'. You can use any number from 1 to 7. SHOW SCALE ON DEVICE SELECT ONE RATING	SINGLE CODE 1. Not At All Familiar 2. 3. 4. 5. 6. 7. Very Familiar
C2	Have any of your male friends or family members been circumcised (to the best of your knowledge)? SELECT ONLY ONE ANSWER	SINGLE CODE 1. Yes 2. No
C3	ASK C3 IF C2=1 (YES, HAVE CIRCUMCISED FRIENDS); ELSE SKIP TO C4 Who of your male friends or family members are circumcised? DO NOT READ LIST PROBE FOR ALL ANSWERS SELECT ALL MENTIONED	MULTI CODE 1. Father 2. Brother(s) 3. Cousin(s) 4. Uncle(s) 5. Grandfather 6. One of your friends 7. Several friends 8. Others /SPECIFY/ - USE POP-UP BOX TO CAPTURE
C4	ASK C4 IF C1 = RATING OF 2-7; ELSE, IF C1 = 1, SKIP TO C6 What, if anything, BAD have you heard about male circumcision, or VMMC? PROBE: WHAT ELSE? CAPTURE ANSWERS IN DETAIL IN ENGLISH	OPEN END
C5	ASK C5 IF C1 = RATING OF 2-7; ELSE, IF C1 = 1, SKIP TO C6 What, if anything, GOOD have you heard about male circumcision, or VMMC? PROBE: WHAT ELSE? CAPTURE ANSWERS IN DETAIL IN ENGLISH	OPEN END
C6	Which of the following statements BEST reflects what you think about a circumcised man being able to get infected with HIV? READ LIST SELECT ONE	1. Circumcision completely protects a man from getting HIV from his partner 2. Circumcision partially protects a man from getting HIV from his partner 3. Circumcision does not affect a man's chances of getting HIV from his partner. 4. Circumcision increases the chances of getting HIV from his partner 5. Unsure about how circumcision affects the risks of getting HIV.

Internal / Client Use Only		Page 9 of 33
----------------------------	--	--------------

	Ipsos Healthcare	14-026370
Ipsos		

C7 To what extent do you agree with each of the following statements about male circumcision?

Please indicate how much you agree or disagree with each statement using a 7-point scale, where 1 means 'Strongly Disagree', 4 means 'Neither Agree Nor Disagree' and 7 means 'Strongly Agree'.

READ AND SHOW SCALE
SELECT ONE RATING FOR EACH STATEMENT
REPEAT SCALE IF NECESSARY

SINGLE RATING FOR EACH STATEMENT

- Strongly Disagree
- 2.
- 3.
- 4. Neither Agree Nor Disagree
- 5.
- 6.
- 7. Strongly Agree

RANDOMISE STATEMENTS

- 1. Male circumcision is completely safe
- 2. Male circumcision is for every boy or man
- 3. Going for circumcision is embarrassing
- 4. Male circumcision improves personal hygiene by making the penis cleaner
- Being circumcised will lower a man's risk of getting infected with STIs and HIV
- 6. Male circumcision will protect a man's female partner from HPV
- 7. A man being circumcised makes it easier for him to have his sons circumcised
- 8. The procedure for male circumcision is very painful
- 9. The healing process for male circumcision is very painful
- 10. Women prefer circumcised men
- 11. It is possible to circumcise boys at school
- 12. It is possible to circumcise baby boys within their first 60 days after birth
- 13. Male circumcision is becoming common and it is going to become the norm in society
- 14. Men who are circumcised are role models for the community
- 15. I trust the healthcare professionals who perform male circumcision
- 16. The benefits from male circumcision are worth the risks
- 17. The healing time after getting circumcised is too long
- 18. It's concerning what will be done with the foreskin after it is removed
- 19. I don't know where to go for circumcision
- 20. Male circumcision can cause fatal bleeding
- 21. Male circumcision can cause complications during the healing process (for example, infections)
- 22. The penis would be less sensitive during sex after being circumcised
- 23. Male circumcision can cause loss of potency
- 24. Male circumcision is inappropriate because you shouldn't change the way God created a boy or man
- 25. Male circumcision is only for people who belong to particular tribes or social groups

Internal / Client Use Only Page 10 of 33

		26. Circumcised men will be more
		promiscuous - they will sleep around more
		27. Many men in my community have already
		been circumcised
		28. Many men I know have already been
		circumcised
		29. Men who are circumcised have better sexual relationships with their partners
		30. Men in monogamous relationships do not
		need to get circumcised
		31. Circumcision is not worth it since a man
		still needs to wear a condom
C8	To what degree would you trust each of the	SINGLE RATING FOR EACH STATEMENT
CO	following sources of information about male	1. Do Not Trust At All
	circumcision?	2.
	circumcision:	3.
	Please indicate how much you trust each using	4.
	a 7-point scale, where 1 means 'Do Not Trust At	5.
	· ·	5. 6.
	All' and 7 means 'Completely Trust'.	
	READ AND SHOW SCALE	7. Completely Trust
	SELECT ONE RATING FOR EACH SOURCE	
	REPEAT SCALE IF NECESSARY	RANDOMISE SOURCES
		1. Your spouse or partner
		2. Your son
		3. Your brother
		4. Your father
		5. Your grandfather
		6. Your mother
		7. Your grandmother
		9. Male friend
		10. Female friend
		11. Teacher
		12. Community mobilizer
		13. Doctor, nurse or healthcare worker
		14. Celebrity
		15. Chief or other community leader
		16. Church leader or other religious leader
		17. Posters / Billboards / Signs
		18. Radio
		19. Television / TV
		20. Newspapers or magazines
		20. Newspapers of magazines 21. Internet
		ZI. IIILEITIEL
60	Miles is the great	SINGLE CODE
C9	What is the most common age at which men in	SINGLE CODE
	your community tend to get circumcised,	1. 0 to 2 months after birth
	medically or traditionally, if they do at all?	2. Ages 10-13 years
	READ LIST	3. Ages 14-17 years
	SELECT ONE	4. Ages 18-25 years
		5. Ages 25 years or older
		6. Never
		7. Unsure

Ipsos Healthcare

Ipsos

14-026370

Internal / Client Use Only		Page 11 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

C10	What do you think is the ideal age for a boy or man to be medically circumcised? READ LIST SELECT ONE	SINGLE CODE 1. 0 to 2 months after birth 2. Ages 10-13 years 3. Ages 14-17 years 4. Ages 18-25 years 5. Ages 25 years or older 6. Never 7. Unsure
C11	Why do you think this is the ideal age for a boy or man to be medically circumcised? CAPTURE ANSWERS IN DETAIL IN ENGLISH	OPEN END

Section 5 –	EIMC knowledge	
D1	Have you previously heard about circumcising	SINGLE CODE
	baby boys, ages 0 to 2 months after birth?	1. Yes
	SELECT ONE	2. No
D2	ASK D2 IF D1 = 1 (YES); ELSE SKIP TO D4	MULTICODE
	From which sources have you previously heard	 Your spouse or partner
	about circumcising baby boys, ages 0 to 2	2. Your son
	months after birth?	3. Your brother
	DO NOT READ LIST	4. Your father
	PROBE FOR ALL ANSWERS	5. Your grandfather
	SELECT ALL MENTIONED	6. Your mother
		7. Your grandmother
		8. Other family member
		9. Male friend
		10. Female friend
		11. Teacher
		12. Community mobilizer
		13. Doctor, nurse or healthcare worker
		14. Celebrity
		15. Chief or other community leader
		16. Church leader or other religious leader
		17. Posters / Billboards / Signs
		18. Radio
		19. Television / TV
		20. Newspapers or magazines
		21. Internet
		22. Other – specify - USE POP-UP BOX TO
		CAPTURE
		23. Cannot remember / cannot say

Internal / Client Use Only		Page 12 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

D3 ASK D3 IF AT LEAST ONE SOURCE (1-22)
SELECTED IN D2; ELSE SKIP TO D4

How useful was the information you received from each source about circumcising baby boys, ages 0 to 2 months after birth?

Please indicate how useful the information was from each source, using a 7-point scale, where 1 means 'Not At All Useful' and 7 means 'Extremely Useful'.

READ AND SHOW SCALE SELECT ONE RATING FOR EACH SOURCE SHOWN REPEAT SCALE IF NECESSARY

SINGLE RATING FOR EACH SOURCE

- 1. Not At All Useful
- 2.
- 3.
- 4.
- 5.
- 6.7. Extremely Useful

ONLY SHOW SOURCES SELECTED IN D2

- 1. Your spouse or partner
- 2. Your son
- 3. Your brother
- 4. Your father
- 5. Your grandfather
- Your mother
- 7. Your grandmother
- 8. Other family member
- 9. Male friend
- 10. Female friend
- 11. Teacher
- 12. Community mobilizer
- 13. Doctor, nurse or healthcare worker
- 14. Celebrity
- 15. Chief or other community leader
- 16. Church leader or other religious leader
- 17. Posters / Billboards / Signs
- 18. Radio
- 19. Television / TV
- 20. Newspapers or magazines
- 21. Internet
- 22. Other source

	Ipsos Healthcare	14-026370
Ipsos		

D4	To what degree would you trust each of the	SINGLE RATING FOR EACH SOURCE
	following sources of information about	1. Do Not Trust At All
	circumcising baby boys, ages 0 to 2 months after	2.
	birth?	3.
		4.
	Please indicate how much you trust each using a	5.
	7-point scale, where 1 means 'Do Not Trust At	6.
	All' and 7 means 'Completely Trust'.	7. Completely Trust
	READ AND SHOW SCALE	
	SELECT ONE RATING FOR EACH SOURCE	RANDOMISE SOURCES
	REPEAT SCALE IF NECESSARY	Your spouse or partner
		2. Your son
		3. Your brother
		4. Your father
		5. Your grandfather
		6. Your mother
		7. Your grandmother
		9. Male friend
		10. Female friend
		11. Teacher
		12. Community mobilizer
		13. Doctor, nurse or healthcare worker
		14. Celebrity
		15. Chief or other community leader
		16. Church leader or other religious leader
		17. Posters / Billboards / Signs
		18. Radio
		19. Television / TV
		20. Newspapers or magazines
		21. Internet
D5	ASK D5 IF D1 = 1 (YES)	SINGLE CODE
	Do people in your community circumcise their	1. Yes
	infants?	2. No
	SELECT ONE	
	•	•

Internal / Client Use Only	Page 14 of 33
----------------------------	---------------



Section 6 – EIMC attitudes (drivers & barriers)

SHOW THE FOLLOWING TEXT:

In the next set of questions we'll talk about early infant circumcision, which is the circumcision of baby boys during the age of 0 to 2 months old.

Г1	In vision principal have accordable to a could in	CINCLE CODE
E1	In your opinion, how acceptable to people in	SINGLE CODE
	your community would be circumcising baby	Not At All Acceptable
	boys at the age of 0 to 2 months old?	2. 3.
	Diagrams was a very view of the account hillity vising	3. 4.
	Please rate your view of the acceptability using	5.
	the following 7-point scale where 1 means 'Not	6.
	At All Acceptable' and 7 means 'Completely Acceptable'.	7. Completely Acceptable
	SHOW SCALE ON DEVICE	7. Completely Acceptable
	SINGLE RATING	
	SINGLE RATING	
E2	Do you personally know anyone who has	SINGLE CODE
	circumcised their baby boy, aged 0 to 2 months	1. Yes
	old?	2. No
	SELECT ONE	
E3	How likely would you be to circumcise your baby	SINGLE CODE
	boy when he is 0 to 2 months old, if the	1. Definitely would not
	procedure was free of cost?	2. Probably would not
		3. May or may not
	Please answer using the following scale	4. Probably would
	READ AND SHOW SCALE	5. Definitely would
	SELECT ONE RATING	
E4	ASK E4 IF E3 = 2-5; ELSE SKIP TO E6	MULTICODE
	In which of the following settings would you	General hospital
	consider having your infant boy get circumcised,	2. Local clinic
	when he is 0 to 2 months old?	3. Mobile services
	READ LIST	4. Home
	SELECT ALL THAT APPLY	5. Traditional ceremony
		6. A center which specializes in circumcision
		7. Other place (specify) – USE POP UP TO
		CAPTURE
		8. Unsure/I don't know – SINGLE CODE

Internal / Client Use Only		Page 15 of 33
----------------------------	--	---------------

Ipsos Healthcare	14-026370	
Ipsos		

E5 **ASK E5 IF E3 = 2-5; ELSE SKIP TO E6**

How likely would you be to circumcise your baby boy when he is 0 to 2 months old, if you had to pay <INSERT AMOUNT FROM LIST > to have the procedure done?

READ AND SHOW SCALE SELECT ONE RATING

REPEAT QUESTION FOR EACH COST LEVEL, STARTING AT LOWEST AND MOVING HIGHER UNTIL LIST IS COMPLETE (6 COST LEVELS)

SINGLE CODE FOR EACH COST LEVEL

- 1. Definitely would not
- 2. Probably would not
- 3. May or may not
- 4. Probably would
- 5. Definitely would

ZAMBIA COSTS (USE THIS LIST IF SO = 1):

- 1. 7.50 Kwacha
- 2. 20.00 Kwacha
- 3. 35.00 Kwacha
- 4. 55.00 Kwacha
- 5. 75.00 Kwacha
- 6. 110.00 Kwacha

ZIMBABWE COSTS (USE THIS LIST IF SO = 2):

- 1. \$ 1.00 USD
- 2. \$ 2.50 USD
- 3. \$5.00 USD
- 4. \$ 7.50 USD
- 5. \$ 10.00 USD
- 6. \$ 15.00 USD

To what extent do you agree with each of the following statements about the influences for you to decide to circumcise your baby boy while

he is 0 to 2 months old?

Please indicate how much you agree or disagree with each statement using a 7-point scale, where 1 means 'Strongly Disagree', 4 means 'Neither Agree Nor Disagree and 7 means 'Strongly Agree'.

READ AND SHOW SCALE
SELECT ONE RATING FOR EACH STATEMENT
REPEAT SCALE IF NECESSARY

SINGLE RATING FOR EACH STATEMENT

- Strongly Disagree
- 2.
- 3.
- 4. Neither Agree Nor Disagree
- 5.
- 6.
- 7. Strongly Agree

RANDOMISE STATEMENTS

- I would circumcise my baby boy, while he is 0 to 2 months old, even if my spouse/partner was against it.
- 2. I would circumcise my baby boy, while he is 0 to 2 months old, even if my parents were against it.
- I would circumcise my baby boy, while he is 0 to 2 months old, even if my spouse's/partner's parents were against it.
- My religious beliefs would strongly influence my decision on whether to circumcise my baby boy, while he is 0 to 2 months old.
- I would circumcise my baby boy, while he is 0 to 2 months old, because it is becoming the social norm and most boys and men will be circumcised in the future
- The protection from risk of HIV infection for my son would strongly influence me toward deciding to circumcise my baby

Internal / Client Use Only Page 16 of 33

	Ipsos Healthcare	14-026370
Ipsos		

		 boy while he is 0 to 2 months old. 7. The hygiene benefits for his penis would strongly influence me toward deciding to circumcise my baby boy, while he is 0 to 2 months old. 8. Improved sexual performance for my son when he is older would strongly influence me toward deciding to circumcise my baby boy while he is 0 to 2 months old.
E7	What are the reasons you would NOT consider circumcising your baby boy while he is 0 to 2 months old? PROBE FULLY FOR ALL REASONS – ASK, AND WHAT OTHER REASONS? CAPTURE ANSWERS IN DETAIL IN ENGLISH	OPEN END
E8	To what extent do you agree with each of the following statements about the influences for you to decide NOT to circumcise your baby boy while he is 0 to 2 months old? Please indicate how much you agree or disagree with each statement using a 7-point scale, where 1 means 'Strongly Disagree', 4 means 'Neither Agree Nor Disagree and 7 means 'Strongly Agree'. READ AND SHOW SCALE SELECT ONE RATING FOR EACH STATEMENT REPEAT SCALE IF NECESSARY	SINGLE RATING FOR EACH STATEMENT 1. Strongly Disagree 2. 3. 4. Neither Agree Nor Disagree 5. 6. 7. Strongly Agree RANDOMISE STATEMENTS 1. I would NOT circumcise my baby boy, while he is 0 to 2 months old, even if my spouse/partner wanted it. 2. I would NOT circumcise my baby boy, while he is 0 to 2 months old, even if my parents wanted it. 3. I would NOT circumcise my baby boy, while he is 0 to 2 months old, even if my spouse's/partner's parents wanted it. 4. Circumcising my baby boy when he is 0 to 2 months old is against my religious beliefs 5. 0 to 2 months is too young to circumcise a boy 6. I would not want my baby to go through pain the pain of circumcision at the age of 0 to 2 months 7. It should be my son's own decision when he grows up whether he gets circumcised or not. 8. I don't trust the people carrying out the procedure to have my son circumcised at the age of 0 to 2 months. 9. The benefits do NOT outweigh the risks for me to circumcise my baby boy while he is 0 to 2 months old. 10. I worry about a bad outcome if I get my baby boy circumcised while he is 0 to 2 months old.

Internal / Client Use Only		Page 17 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370	
Ipsos			

		11. It would be too expensive for me to get my baby boy circumcised while he is 0 to 2 months old.
E9	What benefits, if any, can you think of for circumcising your son while he is 0 to 2 months old? PROBE UNTIL NO MORE ANSWERS ARE GIVEN – ANY OTHER BENEFITS YOU CAN THINK OF? CAPTURE ANSWERS IN DETAIL IN ENGLISH	OPEN END
E10	Which of the following would you consider the three greatest benefits for getting your son circumcised while he is 0 to 2 months old? Select up to 3 of these benefits for early infant male circumcision. READ LIST SELECT UP TO 3 FROM LIST CAN SELECT JUST 1 OR 2, IF RESPONDENT DOES NOT IDENTIFY 3	MULTICODE. ALLOW TO SELECT 3 OPTIONS RANDOMIZE LIST 1. HIV protection: my son will have less chances of contracting HIV 2. My son won't remember the pain 3. Less pain: my son will fell less pain than when he is an adult 4. Faster healing; the wound heals quicker for infants 5. Lower risk of infection: I can monitor the wound and take care of it better 6. Hygiene benefits: my son will grow up with a clean penis 7. No difficult decision: my son won't have to struggle with the decision to get circumcised — it's already done when he's older 8. Sexual benefits: my son will have a better sexual life 9. No abstinence: my son will not have to abstain from sex during the healing time for circumcision when he is older 10. None of these

	Ipsos Healthcare	14-026370	
Ipsos			

E11	What concerns, if any, do you have for circumcising your son while he is 0 to 2 months old? PROBE UNTIL NO MORE ANSWERS ARE GIVEN – ANY OTHER CONCERNS YOU HAVE? CAPTURE ANSWERS IN DETAIL IN ENGLISH	OPEN END
E12	Who would play the MOST important role in deciding whether your baby boy would be circumcised, while he is 0 to 2 months old? SELECT ONE	1. Baby's mother 2. Baby's father 3. Mother's partner at the time of circumcision (if he's not the baby father) 4. The father's father 5. The father's mother 6. Other male family of the father (brothers, uncles) 7. Other female family of the father (sisters, aunties) 8. The mother's father 9. The mother's mother 10. Other male family of the mother (brothers, uncles) 11. Other female family of the mother (sisters, aunties) 12. Brothers or sisters of the baby 13. Religious leader 14. Traditional leader 15. Traditional healer 16. Doctor, nurses and other healthcare professionals 17. Other – specify – USE POP UP TO CAPTURE

	Ipsos Healthcare	14-026370
Ipsos		

E12	Who else would play the important roles in	MULTI CODE	
E12	deciding whether your baby boy would be	EXCLUDE SELECTION MADE IN E11 FROM	LIST
	circumcised, while he is 0 to 2 months old?	BELOW	LIST
	PROBE – ANY OTHERS?	1. Baby's mother	
	SELECT ALL MENTIONED	Baby's finding Baby's father	
	SELECT ALL IMENTIONED		
		3. Mother's partner at the time of	£_+
		circumcision (if he's not the baby	ratner)
		4. The father's father	
		5. The father's mother	
		Other male family of the father (to uncles)	orothers,
		Other female family of the father	(sisters.
		aunties)	(3.300.3)
		8. The mother's father	
		9. The mother's mother	
		10. Other male family of the mother	
		-	
		(brothers, uncles)	
		11. Other female family of the mothe	er
		(sisters, aunties)	
		12. Brothers or sisters of the baby	
		13. Religious leader	
		14. Traditional leader	
		Traditional healer	
		16. Doctor, nurses and other healthca	are
		professionals	
		17. Other – specify – USE POP UP TO	
		CAPTURE	
E13	If you strongly wanted your baby to be	SINGLE CODE	
	circumcised while he is 0 to 2 months old, would	1. Yes, my son's other parent would	have to
	his other parent need to agree also, or could you	agree	
	make the decision alone?	2. No, I can make this decision with	out
		consulting my son's other parent	
		3. Unsure/I don't know	
E14	To what extent do you agree with the each of	SINGLE RATING FOR EACH STATEMENT	
	the following statements about infant,	 Strongly Disagree 	
	adolescent and adult male circumcision?	2.	
		3.	
	Please indicate how much you agree or disagree	Neither Agree Nor Disagree	
	with each statement using a 7-point scale, where	5.	
	1 means 'Strongly Disagree', 4 means 'Neither	6.	
	Agree Nor Disagree and 7 means 'Strongly	7. Strongly Agree	
	Agree'.		
	READ AND SHOW SCALE	RANDOMISE STATEMENTS	
	SELECT ONE RATING FOR EACH STATEMENT	1. A baby's circumcision wound will	heal
·	REPEAT SCALE IF NECESSARY	faster than an adult's circumcision	
		faster than an adult's circumcision	n
		faster than an adult's circumcision wound.	n heal
		faster than an adult's circumcision wound. 2. A baby's circumcision wound will	n heal
		faster than an adult's circumcision wound. 2. A baby's circumcision wound will quicker than an adolescent's circu wound.	n heal umcision
		 faster than an adult's circumcision wound. 2. A baby's circumcision wound will quicker than an adolescent's circu wound. 3. A baby will suffer less pain during 	n heal umcision
		 faster than an adult's circumcision wound. 2. A baby's circumcision wound will quicker than an adolescent's circu wound. 3. A baby will suffer less pain during after circumcision than an adult v 	n heal umcision
		 faster than an adult's circumcision wound. 2. A baby's circumcision wound will quicker than an adolescent's circu wound. 3. A baby will suffer less pain during after circumcision than an adult v suffer 	n heal umcision and vill
		 faster than an adult's circumcision wound. 2. A baby's circumcision wound will quicker than an adolescent's circu wound. 3. A baby will suffer less pain during after circumcision than an adult v 	heal umcision and vill

te so	When is the best time for a healthcare worker to ell parents about the option to circumcise their on as an infant, while he is 0 to 2 months old? ELECT ONE	3. 4. 5. 6.	circumcision ceremonies along with the medical procedure
te so	ell parents about the option to circumcise their on as an infant, while he is 0 to 2 months old?	\$INGLE (1. 2. 3. 4.	circumcision ceremonies along with the medical procedure CODE Before a couple is pregnant When a couple first finds out that they are pregnant During the pregnancy, before the baby is born Immediately after the baby boy is born
te so	ell parents about the option to circumcise their on as an infant, while he is 0 to 2 months old?	SINGLE (1. 2. 3.	circumcision ceremonies along with the medical procedure CODE Before a couple is pregnant When a couple first finds out that they are pregnant During the pregnancy, before the baby is born Immediately after the baby boy is born
te so	ell parents about the option to circumcise their on as an infant, while he is 0 to 2 months old?	\$INGLE (1. 2.	circumcision ceremonies along with the medical procedure CODE Before a couple is pregnant When a couple first finds out that they are pregnant During the pregnancy, before the baby is born
te so	ell parents about the option to circumcise their on as an infant, while he is 0 to 2 months old?	\$INGLE (1. 2.	circumcision ceremonies along with the medical procedure CODE Before a couple is pregnant When a couple first finds out that they are pregnant
te so	ell parents about the option to circumcise their on as an infant, while he is 0 to 2 months old?	SINGLE (circumcision ceremonies along with the medical procedure CODE Before a couple is pregnant When a couple first finds out that they
te	ell parents about the option to circumcise their	SINGLE (circumcision ceremonies along with the medical procedure CODE Before a couple is pregnant
		SINGLE (circumcision ceremonies along with the medical procedure
E15 V	When is the best time for a healthcare worker to		circumcision ceremonies along with the medical procedure
			circumcision ceremonies along with the
			circumcision ceremonies along with the
			it is important to include traditional
		21.	It is important to include traditional
			adult
			they wouldn't have to face doing it as an
			circumcised as infants or adolescents, so
		20.	Many men wish that they had been
			infant
			would regret not circumcising him as an
		19.	If my child were to get HIV in the future, I
			to my son's foreskin after the procedure
		18.	I am concerned about what will happen
			something good for the future of my son
		17.	I will feel relief that I have done
			circumcised than for an older boy or man
		16.	It is less painful for a baby to be
		4.0	an older boy or man
		15.	Circumcision is safer for a baby than for
		15	that healing will be easier
		14.	easily while he is a baby, which means
		1/1	I will be able to care for his wound more
			baby and young boy
		10.	and prevent infections while my son is a
		13	It will be easier to keep his penis clean
			future sexual diseases
		12.	Circumcision will protect my son from
			made this decision for him
			son is older and he will be happy that I
		11.	Most men will be circumcised when my
			appropriate for circumcision procedures.
		10.	I believe the facilities in our hospitals are
			practice circumcision
		9.	I trust the healthcare professionals that
			whether to get circumcised or not.
		8.	It is better to let the child decide about
			done it yet.
			because I don't know anyone who has
		7.	I wouldn't get my baby circumcised
		-	communities.
			_
		6.	discriminate among tribes and
		c	Circumcision will be the norm. Circumcision could be used to
		5.	By the time my son grows up, circumcision will be the norm.
		5.	suffer By the time my son grows up

Ipsos Healthcare

Ipsos

14-026370

Internal / Client Use Only Page 21 of 33



Section 7> Personal Information SHOW THE FOLLOWING TEXT The following questions may contain sensitive information. Remember that all your responses will be confidential and remain anonymous. IF S1 = 1 (MALE), SHOW THIS TEXT F1 **SINGLE CODE** Are you circumcised? 1. Yes, circumcised IF S1 = 2 (FEMALE), SHOW THIS TEXT 2. No, not circumcised Is your partner circumcised? 3. I don't know **SELECT ONE** 4. Prefer not to answer F2 Do you know anyone close to you who is **SINGLE CODE** infected with HIV? 1. Yes, I know someone **SELECT ONE** 2. No, I don't know anyone 3. Prefer not to answer F3 **SINGLE CODE** Are you aware of your own HIV status? **SELECT ONE** 1. Yes 2. No 3. Not sure 4. Prefer not to answer F4 ASK F4 IF F3 = 1 (YES); ELSE SKIP TO F6 **SINGLE CODE** May I ask you your HIV status? 1. Yes **SELECT ONE** 2. No ASK F5 IF F4 = 1 (YES); ELSE SKIP TO F6 **F**5 **SINGLE CODE** 1. Yes Are you HIV POSITIVE? **SELECT ONE** 2. No 3. Prefer not to answer F6 IF S1 = 1 (MALE), SHOW THIS TEXT **SINGLE CODE** Is the mother of the baby HIV infected? 1. Yes IF S1 = 2 (FEMALE), SHOW THIS TEXT 2. No 3. I don't know Is the father of the baby HIV infected? **SELECT ONE** 4. Prefer not to answer

Internal / Client Use Only		Page 22 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

SECTION 8: DEMOGRAPHICS

ASK ALL RESPONDENTS

R1. From which tribe is your father's side of your family?

DO NOT READ LIST

ONE ANSWER

	PROGR: SHOW THE FOLLOWING LIST IF S1=1
	(ZAMBIA)
1	Bemba
2	Bisa
3	Chewa
4	Kaonde
5	Lala
6	Lamba
7	Lenje
8	Lozi
9	Lunda
10	Luvale
11	Mambwe
12	Mbunda
13	Namwanga
14	Ngoni
15	Nsenga
16	Tonga
17	Tumbuka
18	Ushi
99	Other tribe (specify) – USE POP-UP TO CAPTURE

	PROGR: SHOW THE FOLLOWING LIST IF S1=2
	(ZIMBABWE)
1	Ndebele
2	Zezuru
3	Karanga
4	Manyika
5	Ndawu
6	Korekore
7	Kalanga
8	Xhosa
9	Sotho
10	Nyanja
11	Tonga
12	Tumbuka
13	Venda
99	Other tribe (specify) – USE POP-UP TO CAPTURE

Internal / Client Use Only		Page 23 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

R2. From which tribe is your mother's side of your family?

DO NOT READ LIST

ONE ANSWER

	PROGR: SHOW THE FOLLOWING LIST IF S1=1
	(ZAMBIA)
1	Bemba
2	Bisa
3	Chewa
4	Kaonde
5	Lala
6	Lamba
7	Lenje
8	Lozi
9	Lunda
10	Luvale
11	Mambwe
12	Mbunda
13	Namwanga
14	Ngoni
15	Nsenga
16	Tonga
17	Tumbuka
18	Ushi
99	Other tribe (specify) – USE POP-UP TO CAPTURE

	PROGR: SHOW THE FOLLOWING LIST IF S1=2
	(ZIMBABWE)
1	Ndebele
2	Zezuru
3	Karanga
4	Manyika
5	Ndawu
6	Korekore
7	Kalanga
8	Xhosa
9	Sotho
10	Nyanja
11	Tonga
12	Tumbuka
13	Venda
99	Other tribe (specify) – USE POP-UP TO CAPTURE

Internal / Client Use Only Page 24 of 33

	Ipsos Healthcare	14-026370
Ipsos		

R3. How would you classify your religion?

DO NOT READ LIST

ONE ANSWER

0.1	Tun 197 1
01	Traditional
02	Presbyterianism
03	Roman Catholic
04	Anglican
05	Methodist
06	Pentecostal
07	New Apostolic Church
08	Lutheran
09	Seventh-day Adventist
10	Muslim
11	Other /SPECIFY/
	CAPTURE
99	None

ASK ALL RESPONDENTS

R4. Which of the following best describes your working status?

READ LIST

ONE ANSWER

1	Employed
2	Unemployed (but seeking work)
3	Unemployed (and NOT seeking work)
5	Student
99	Other (describe) – USE POP-UP TO CAPTURE

Internal / Client Use Only Page 25 of 33

	Ipsos Healthcare	14-026370
Ipsos		

R5. What is the highest level of education you have completed? (Single answer) **READ LIST. ONE ANSWER**

	PROGR: SHOW THE FOLLOWING LIST IF S1=1 (ZAMBIA)
1	None
2	Some primary(1-8 years) (Up to Grade 7 / Standard 5)
3	Completed primary (8 years) (Up to Grade 7 / Standard 5)
4	Some secondary (9-12) (Grade 8 – Grade 12 / Standard 6 – Matric)
5	Completed secondary (12 years) (Grade 12 / Matric completed)
6	Some university (Including Technikon diplomas/degrees)
7	Completed undergraduate university degree (Including Technikon diplomas/degrees)
8	Some graduate university (Honours degree obtained)
9	Completed graduate degree (Honours degree obtained)
10	Some post-graduate university (Masters/Ph.d etc.)
11	Completed post-graduate degree (Masters/Ph.d etc.)

	PROGR: SHOW THE FOLLOWING LIST IF S1=2 (ZIMBABWE)
1	None
2	Some primary(1-7 years) (Up to Grade 7 /)
3	Completed primary (7years) (Up to Grade7)
4	Some secondary (Form 1-4/)
5	Completed secondary (Ordinary Level)
6	Completed secondary (Advanced Level)
7	Some Tertiary Education (diplomas)
8	Completed Tertiary Education (diplomas)
9	Some graduate university (Honours degree obtained)
10	Completed graduate degree (Honours degree obtained)
11	Some post-graduate university (Masters/Ph.d etc.)

Fage 20 01 55	Internal / Client Use Only		Page 26 of 33
---------------	----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

12	Completed post-graduate degree
12	(Masters/Ph.d etc.)

ASK R6 IF S5 >=18 (18+ YEARS OLD)

 $\hbox{R6. What is your relationship Status? Please give one answer only.}\\$

READ LIST

MULTIPLE ANSWERS POSSIBLE FOR THE FIRST 3 ANSWERS OTHERWISE ONE ANSWER

	ALLOW CODES 1, 2 AND 3 TO ALL BE SELECCTED AS		
MU	MULTIPLE ANSWERS		
1	Married – traditionally		
2	Married – legally		
3	Married – church		
4	Single and no partner		
5	Single but have a girlfriend/Partner		
6	Single but have multiple girlfriends/Partners		
7	Separated and no partner		
8	Separated but have a girlfriend/partner		
9	Separated but have multiple girlfriends/partners		
10	Married and have a girlfriend/partner (other than wife)		
11	Married but have multiple girlfriends/other partners		
12	Widower and have no partner		
13	Widower, but have a girlfriend/partner		
14	Widower, but have multiple girlfriends/partners		

ASK R7 IF R6 = 1-3, 5-6, 8-11 OR 13-14

R7. Do you live with your partner(s)?

ONE ANSWER

Yes	1
No	2

Internal / Client Use Only		Page 27 of 33
----------------------------	--	---------------

Ipsos Healthcare	14-026370	
Ipsos		

R8. I am going to read out a list of things. Some of these things might sound strange to you, but we need to ask them to understand a bit more about your lifestyle.

Answer Yes or No for each of the following questions.

		YES	NO	SCORE TO ADD IF YES
1	Do you have a color TV?			+18
2	Did you access the Internet during the past 4 weeks?			+48
3	Do you have a satellite dish/DSTV/cable TV subscription?			+34
4	Do you have a built-in kitchen sink in your kitchen?			+31
5	Do you have a microwave oven?			+32
6	Did you read a newspaper in the last 7 days?			+17
7	Do you have a video recorder?			+18
8	Do you have a cell phone/mobile phone with a working line?			+16
9	Do you have an electric iron?			+17
10	Do you have a personal computer for your own personal use at home?			+34
11	Do you have a fixed telephone line at home or an outstanding application for one?			+14
12	Did you watch TV in the last 7 days?			+17
13	Do you have access to e-mail?			+41
14	Do you have an automatic washing machine?			+32
15	Do you have refrigerator?			+20
16	Do you have a hi-fi or music center?			+17
17	Do you have a free-standing deep freezer?			+19
18	Do you have a video camera/camcorder?			+35
19	Do you have an account with a commercial bank?			+15
20	Do you live in a house, cluster house or condominium?			+11
21	How many cars do you have in your household? One answer only.			
22	None			+0
23	One			+12
24	Two or more			+24
25	Did you buy adult clothing in the past six months?			+10
26	ADD THIS EVERY TIME (CONSTANT)			+32

Internal / Client Use Only		Page 28 of 33
----------------------------	--	---------------

Ipsos Healthcare	Ipsos Healthcare	14-026370
Ipsos		

R9 – CREATE VARIABLE = SUM OF SCORES FROM YES ANSWERS IN R8

R10 – CREATE VARIABLE = CODED AS FOLLOWS:

1	SCORE = 319 -	LSM 13 – 17 (AB)
	999	
2	SCORE = 187 –	LSM 9 – 12 (C1)
	318	
3	SCORE = 88 -	LSM 5 – 8 (C2)
	186	
4	SCORE = 0 - 87	LSM 1 – 4 (D)

Those are all the questions I have. Thank you so much for your participation in this research.

<**END**>

Internal / Client Use Only		Page 29 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

Appendix

LIST 1

Central	1	
Copperbelt	2	
Eastern	3	
Luapula	4	USE THE
Lusaka	5	FOLLOWING
North Western	6	LIST IF $S0 = 1$
Muchinga	7	(ZAMBIA)
Northern	8	
Southern	9	
Western	10	
Bulawayo	11	
Chitungwiza	12	
Harare	13	
Manicaland	14	
Mashonaland Central	15	USE THE
Mashonaland East	16	FOLLOWING LIST IF S0 = 2
Mashonaland West	17	(ZIMBABWE)
Masvingo	18	
Matabelaland North	19	
Matabeleland South	20	
Midlands	21	

LIST 2

LIJIZ		
1	СНІВОМВО	
2	KAPIRI MPOSHI	
3	MUMBWA	SHOW IF $S0 = 1$ (ZAMBIA)
4	KABWE	AND LIST $1 = 1$ (CENTRAL)
5	SERENJE	
6	MKUSHI	
7	KITWE	
8	NDOLA	
9	CHINGOLA	
10	CMUFULIRA	
11	LUANSHYA	SHOW IF $S0 = 1$ (ZAMBIA)
12	CHILILABOMBWE	AND LIST $1 = 1$ (COPPERBELT)
13	MPONGWE	
14	MASAITI	
15	KALULUSHI	
16	LUFWANYAMA	
17	СНІРАТА	CHOW IE CO. 1 (ZAMBIA)
18	PETAUKE	SHOW IF S0 = 1 (ZAMBIA) AND LIST 1 = 1 (EASTERN)
19	LUNDAZI	AND LIST I - I (EASTERN)

Internal / Client Use Only		Page 30 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

20	KATETE	
21	ECHADIZA	
22	CHAMA	
23	NYIMBA	
24	MAMBWE	
25	MANSA	
26	SAMFYA	
27	NCHELENGE	
28	KAWAMBWA	SHOW IF S0 = 1 (ZAMBIA)
29	MWENSE	AND LIST 1 = 1 (LUAPULA)
30	CHIENGI	
31	MILENGI	
32	LUSAKA	
33	KAFUE	SHOW IF $S0 = 1$ (ZAMBIA)
34	CHONGWE	AND LIST 1 = 1 (LUSAKA)
35	LUANGWA	
36	SOLWEZI	
37	MWINILUNGA	
38	КАВОМРО	grant
39	ZAMBEZI	SHOW IF S0 = 1 (ZAMBIA)
40	KASEMPA	AND LIST 1 = 1 (NORTH WESTERN)
41	MUFUMBWE	
42	CHAVUMA	
45	MPIKA	
46	ISOKA	SHOW IF $S0 = 1$ (ZAMBIA)
47	CHINSALI	AND LIST 1 = 1 (MUCHINGA)
50	NAKONDE	
43	KASAMA	
44	MBALA	
48	MUNGWI	
49	LUWINGU	SHOW IF $S0 = 1$ (ZAMBIA)
51	KAPUTA	AND LIST 1 = 1 (NORTHERN)
52	MPOROKOSO	
53	MPULUNGU	
54	CHILUBI	
55	MAZABUKA	
56	KALOMO	
57	СНОМА	
58	MONZE	
59	LIVINGSTONE	SHOW IF $S0 = 1$ (ZAMBIA)
60	SINAZONGWE	AND LIST 1 = 1 (SOUTHERN)
61	NAMWALA	
62	KAZUNGULA	
63	SIAVONGA	
64	ITEZHI-TEZHI	

Internal / Client Use Only		Page 31 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

65	GWEMBE	
66	KAOMA	
67	MONGO	
68	KALABO	
69	SENANGA	$\mathbf{SHOW} \mathbf{IF} \mathbf{S0} = 1 (\mathbf{ZAMBIA})$
70	SESHEKE	
71	SHANGAMBO	
72	LUKULU	
73	BULAWAYO	AUTOMATICALLY CODE IF S0 = 2 (ZIMBABWE) AND LIST 1 = 11 (BULAWAYO)
74	CHITUNGWIZA	AUTOMATICALLY CODE IF S0 = 2 (ZIMBABWE) AND LIST 1 = 12 (CHITUNGWIZA)
75	HARARE	AUTOMATICALLY CODE IF S0 = 2 (ZIMBABWE) AND LIST 1 = 13 (HARARE)
76	MUTARE	
77	CHIPINGE	
78	MAKONI	CHOW IE CO. 2 (ZIMBADWE)
79	BUHERA	SHOW IF S0 = 2 (ZIMBABWE) AND LIST 1 = 14 (MANICALAND)
80	MUTASA	AND LIST 1 = 14 (MANICALAND)
81	NYANGA	
82	CHIMANIMANI	
83	MAZOWE	
84	MT. DARWIN	
85	GURUVE	SHOW IF $S0 = 2$ (ZIMBABWE)
86	BINDURA	AND LIST 1 = 15 (MASHONALAND
87	CENTENARY	CENTRAL)
88	SHAMVA	
89	RUSHINGA	
90	GOROMONZI	
91	SEKE	
92	MARONDERA	
93	MUREWA	SHOW IF S0 = 2 (ZIMBABWE)
94	MUTOKO	AND LIST 1 = 16 (MASHONALAND
95	CHIKOMBA	EAST)
96	MUDZI	
97	UMP	
98	WEDZA	
99	HURUNGWE	
100	KADOMA	SHOW IF S0 = 2 (ZIMBABWE)
101	CHEGUTU	AND LIST 1 = 17 (MASHONALAND
102	ZVIMBA	WEST)
103	MAKONDE	

Internal / Client Use Only		Page 32 of 33
----------------------------	--	---------------

	Ipsos Healthcare	14-026370
Ipsos		

104	KARIBA	
105	MASVINGO	SHOW IF S0 = 2 (ZIMBABWE) AND LIST 1 = 18 (MASVINGO)
106	CHIREDZI	
107	GUTU	
108	ZAKA	
109	BIKITA	
110	CHIVI	
111	MWENEZI	
112	HWANGE	SHOW IF S0 = 2 (ZIMBABWE) AND LIST 1 = 19 (MATABELALAND
113	TSHOLOTSHO	
114	BINGA	
115	NKAYI	
116	LUPANE	NORTH)
117	UMGUZA	
118	BUBI	
119	GWANDA	SHOW IF S0 = 2 (ZIMBABWE) AND LIST 1 = 20 (MATABELELAND SOUTH)
120	BEIT BRIDGE	
121	BULILIMA	
122	MATOBO	
123	INSIZA	
124	MANGWE	
125	UMZINGWANE	
126	KWEKWE	
127	GOKWE SOUTH	
128	GWERU	
129	GOKWE NORTH	SHOW IF $S0 = 2$ (ZIMBABWE)
130	MBERENGWA	AND LIST $1 = 21$ (MIDLANDS)
131	ZVISHAVANE	
132	SHURUGWI	
133	CHIRUMHANZU	

Internal / Client Use Only Page 33 of 33