

Table S10. Lambda chain family usage of isolated rmAbs not specific for influenza antigens.

Subject	rmAbs Not Specific for Influenza											Total N
	Lambda Chain Family											
	1	2	3	4	5	6	7	8	9	10	11	
	N (%)											
TIV01	13 (52%)	2 (8%)	7 (28%)	-*	-	-	3 (12%)	-	-	-	-	25
TIV04	-	3 (75%)	1 (25%)	-	-	-	-	-	-	-	-	4
TIV14	-	-	3 (75%)	-	-	-	-	1 (25%)	-	-	-	4
TIV21	-	-	1 (50%)	-	-	-	1 (50%)	-	-	-	-	2
TIV24	-	4 (33.3%)	5 (41.7%)	1 (8.3%)	-	1 (8.3%)	-	1 (8.3%)	-	-	-	12
total	13 (27.7%)	9 (19.1%)	17 (36.2%)	1 (2.1%)	-	1 (2.1%)	4 (8.5%)	2 (4.3%)	-	-	-	47
EI02	-	-	1 (20%)	1 (20%)	1 (20%)	1 (20%)	-	1 (20%)	-	-	-	35
EI03	12 (34.3%)	10 (28.6%)	2 (5.7%)	3 (8.6%)	-	1 (2.9%)	4 (11.4%)	3 (8.6%)	-	-	-	47
EI05	18 (38.3%)	11 (23.4%)	11 (23.4%)	1 (2.1%)	1 (2.1%)	2 (4.3%)	-	1 (2.1%)	-	2 (4.3%)	-	7
EI07	1 (14.3%)	3 (42.9%)	3 (42.9%)	-	-	-	-	-	-	-	-	9
EI12	1 (11.1%)	1 (11.1%)	1 (11.1%)	1 (11.1%)	5 (55.6%)	-	-	-	-	-	-	20
EI13	8 (40%)	8 (40%)	3 (15%)	-	-	-	-	-	-	1 (5%)	-	123
total	40 (32.5%)	33 (26.8%)	21 (17.1%)	6 (4.9%)	7 (5.7%)	4 (3.3%)	4 (3.3%)	5 (4.1%)	-	3 (2.4%)	-	123

* - = No antibodies of this lambda chain family isolated.