

Family	Scientific name	Global Red Listing	TOTAL % and Declining			Habitat Categories
			Destroyed Reef in Range	Destroyed Reef in Range	Declining Reef in Range	
Acanthuridae	<i>Acanthurus achilles</i>	LC	6%	16%	2	
Acanthuridae	<i>Acanthurus albipectoralis</i>	LC	3%	12%	1	
Acanthuridae	<i>Acanthurus auranticavus</i>	LC	25%	40%	1	
Acanthuridae	<i>Acanthurus bahianus</i>	LC	no data	no data	3	
Acanthuridae	<i>Acanthurus bariene</i>	LC	25%	41%	1	
Acanthuridae	<i>Acanthurus blochii</i>	LC	19%	33%	2	
Acanthuridae	<i>Acanthurus chirurgus</i>	LC	14%	37%	2	
Acanthuridae	<i>Acanthurus chronixis</i>	VU	8%	15%	1	
Acanthuridae	<i>Acanthurus coeruleus</i>	LC	14%	37%	3	
Acanthuridae	<i>Acanthurus dussumieri</i>	LC	21%	36%	1	
Acanthuridae	<i>Acanthurus fowleri</i>	LC	32%	50%	1	
Acanthuridae	<i>Acanthurus gahhm</i>	DD	4%	8%	1	
Acanthuridae	<i>Acanthurus grammoptilus</i>	LC	3%	11%	2	
Acanthuridae	<i>Acanthurus guttatus</i>	LC	20%	33%	1	
Acanthuridae	<i>Acanthurus japonicus</i>	LC	38%	58%	1	
Acanthuridae	<i>Acanthurus leucocheilus</i>	LC	32%	50%	1	
Acanthuridae	<i>Acanthurus leucopareius</i>	LC	7%	19%	1	
Acanthuridae	<i>Acanthurus leucosternon</i>	LC	24%	45%	1	
Acanthuridae	<i>Acanthurus lineatus</i>	LC	20%	34%	1	
Acanthuridae	<i>Acanthurus maculiceps</i>	LC	29%	45%	2	
Acanthuridae	<i>Acanthurus mata</i>	LC	19%	33%	1	
Acanthuridae	<i>Acanthurus monroviae</i>	LC	no data	no data	3	
Acanthuridae	<i>Acanthurus nigricans</i>	LC	20%	33%	2	
Acanthuridae	<i>Acanthurus nigricauda</i>	LC	20%	35%	3	
Acanthuridae	<i>Acanthurus nigrofuscus</i>	LC	19%	32%	2	
Acanthuridae	<i>Acanthurus nigroris</i>	LC	2%	6%	3	
Acanthuridae	<i>Acanthurus nigros</i>	LC	4%	12%	3	
Acanthuridae	<i>Acanthurus nubilus</i>	LC	28%	44%	1	
Acanthuridae	<i>Acanthurus olivaceus</i>	LC	20%	33%	2	
Acanthuridae	<i>Acanthurus polyzona</i>	DD	9%	33%	3	
Acanthuridae	<i>Acanthurus pyroferus</i>	LC	20%	33%	1	
Acanthuridae	<i>Acanthurus reversus</i>	LC	3%	5%	2	
Acanthuridae	<i>Acanthurus sohal</i>	LC	18%	24%	1	
Acanthuridae	<i>Acanthurus tennentii</i>	LC	24%	45%	2	
Acanthuridae	<i>Acanthurus thompsoni</i>	LC	21%	35%	1	
Acanthuridae	<i>Acanthurus triostegus</i>	LC	20%	35%	2	

Acanthuridae	<i>Acanthurus tristis</i>	LC	29%	49%	3
Acanthuridae	<i>Acanthurus xanthopterus</i>	LC	21%	35%	3
Acanthuridae	<i>Ctenochaetus binotatus</i>	LC	21%	35%	2
Acanthuridae	<i>Ctenochaetus cyanocheilus</i>	LC	21%	35%	2
Acanthuridae	<i>Ctenochaetus flavicauda</i>	LC	3%	5%	1
Acanthuridae	<i>Ctenochaetus hawaiiensis</i>	LC	7%	13%	3
Acanthuridae	<i>Ctenochaetus marginatus</i>	LC	6%	14%	3
Acanthuridae	<i>Ctenochaetus striatus</i>	LC	20%	34%	2
Acanthuridae	<i>Ctenochaetus strigosus</i>	LC	2%	6%	3
Acanthuridae	<i>Ctenochaetus tominiensis</i>	LC	23%	38%	1
Acanthuridae	<i>Ctenochaetus truncatus</i>	LC	24%	44%	2
Acanthuridae	<i>Naso annulatus</i>	LC	18%	31%	1
Acanthuridae	<i>Naso brachycentron</i>	LC	20%	35%	1
Acanthuridae	<i>Naso brevirostris</i>	LC	19%	32%	2
Acanthuridae	<i>Naso caeruleacauda</i>	LC	29%	44%	1
Acanthuridae	<i>Naso caesius</i>	LC	5%	15%	1
Acanthuridae	<i>Naso elegans</i>	LC	19%	35%	1
Acanthuridae	<i>Naso fageni</i>	LC	33%	53%	3
Acanthuridae	<i>Naso hexacanthus</i>	LC	19%	33%	1
Acanthuridae	<i>Naso lituratus</i>	LC	20%	33%	2
Acanthuridae	<i>Naso lopezi</i>	LC	22%	36%	1
Acanthuridae	<i>Naso maculatus</i>	LC	9%	26%	2
Acanthuridae	<i>Naso mcdadei</i>	LC	26%	40%	3
Acanthuridae	<i>Naso minor</i>	LC	25%	40%	1
Acanthuridae	<i>Naso reticulatus</i>	DD	36%	56%	2
Acanthuridae	<i>Naso thynnoides</i>	LC	24%	39%	1
Acanthuridae	<i>Naso tonganus</i>	LC	20%	34%	1
Acanthuridae	<i>Naso tuberosus</i>	DD	12%	35%	1
Acanthuridae	<i>Naso unicornis</i>	LC	19%	32%	2
Acanthuridae	<i>Naso vlamingii</i>	LC	20%	35%	1
Acanthuridae	<i>Paracanthurus hepatus</i>	LC	21%	35%	1
Acanthuridae	<i>Prionurus biafraensis</i>	LC	no data	no data	3
Acanthuridae	<i>Prionurus chrysurus</i>	DD	40%	60%	3
Acanthuridae	<i>Prionurus laticlavus</i>	LC	13%	50%	3
Acanthuridae	<i>Prionurus maculatus</i>	LC	4%	18%	2
Acanthuridae	<i>Prionurus microlepidotus</i>	LC	3%	7%	3
Acanthuridae	<i>Prionurus punctatus</i>	LC	13%	46%	2
Acanthuridae	<i>Prionurus scalprum</i>	DD	40%	60%	3
Acanthuridae	<i>Zebrasoma desjardini</i>	LC	18%	34%	1
Acanthuridae	<i>Zebrasoma flavescens</i>	LC	16%	27%	2
Acanthuridae	<i>Zebrasoma gemmatum</i>	DD	10%	33%	1
Acanthuridae	<i>Zebrasoma rostratum</i>	DD	3%	6%	2
Acanthuridae	<i>Zebrasoma scopas</i>	LC	20%	34%	2
Acanthuridae	<i>Zebrasoma veliferum</i>	LC	19%	32%	2

Acanthuridae	<i>Zebrasoma xanthurum</i>	LC	20%	31%	2
Scarinae	<i>Bolbometopon muricatum</i>	VU	19%	32%	1
Scarinae	<i>Calotomus carolinus</i>	LC	18%	32%	3
Scarinae	<i>Calotomus japonicus</i>	LC	20%	42%	3
Scarinae	<i>Calotomus spinidens</i>	LC	22%	37%	3
Scarinae	<i>Calotomus viridescens</i>	LC	14%	26%	3
Scarinae	<i>Calotomus zonarchus</i>	LC	2%	6%	3
Scarinae	<i>Cetoscarus bicolor</i>	LC	4%	8%	1
Scarinae	<i>Cetoscarus ocellatus</i>	LC	19%	32%	1
Scarinae	<i>Chlorurus atrilunula</i>	LC	13%	36%	1
Scarinae	<i>Chlorurus bleekeri</i>	LC	20%	33%	1
Scarinae	<i>Chlorurus bowersi</i>	NT	37%	57%	1
Scarinae	<i>Chlorurus capistratoides</i>	LC	31%	51%	1
Scarinae	<i>Chlorurus cyanescens</i>	LC	12%	35%	1
Scarinae	<i>Chlorurus enneacanthus</i>	LC	22%	42%	1
Scarinae	<i>Chlorurus frontalis</i>	LC	4%	12%	1
Scarinae	<i>Chlorurus genazonatus</i>	LC	4%	8%	1
Scarinae	<i>Chlorurus gibbus</i>	LC	4%	8%	1
Scarinae	<i>Chlorurus japonensis</i>	LC	22%	36%	1
Scarinae	<i>Chlorurus microrhinos</i>	LC	19%	31%	1
Scarinae	<i>Chlorurus oedema</i>	LC	37%	56%	1
Scarinae	<i>Chlorurus perspicillatus</i>	LC	2%	6%	1
Scarinae	<i>Chlorurus rhakoura</i>	LC	26%	43%	1
Scarinae	<i>Chlorurus sordidus</i>	LC	22%	38%	1
Scarinae	<i>Chlorurus spilurus</i>	LC	20%	33%	1
Scarinae	<i>Chlorurus strongylocephalus</i>	LC	24%	45%	1
Scarinae	<i>Chlorurus troschelii</i>	LC	40%	59%	1
Scarinae	<i>Cryptotomus roseus</i>	LC	14%	37%	3
Scarinae	<i>Hipposcarus harid</i>	LC	18%	33%	1
Scarinae	<i>Hipposcarus longiceps</i>	LC	19%	32%	1
Scarinae	<i>Leptoscarus vaigiensis</i>	LC	20%	34%	3
Scarinae	<i>Nicholsina denticulata</i>	LC	13%	49%	3
Scarinae	<i>Nicholsina collettei</i>	LC	no data	no data	3
Scarinae	<i>Nicholsina usta</i>	LC	15%	40%	3
Scarinae	<i>Scarus altipinnis</i>	LC	4%	12%	3
Scarinae	<i>Scarus arabicus</i>	LC	69%	84%	3
Scarinae	<i>Scarus caudofasciatus</i>	LC	19%	40%	1
Scarinae	<i>Scarus chameleon</i>	LC	19%	33%	1
Scarinae	<i>Scarus chinensis</i>	DD	20%	42%	no data
Scarinae	<i>Scarus coelestinus</i>	DD	14%	37%	3
Scarinae	<i>Scarus coeruleus</i>	LC	14%	37%	2
Scarinae	<i>Scarus collana</i>	LC	4%	8%	3
Scarinae	<i>Scarus compressus</i>	LC	13%	49%	3
Scarinae	<i>Scarus dimidiatus</i>	LC	21%	35%	2

Scarinae	<i>Scarus dubius</i>	LC	2%	6%	1
Scarinae	<i>Scarus falcipinnis</i>	LC	17%	39%	1
Scarinae	<i>Scarus ferrugineus</i>	LC	17%	23%	2
Scarinae	<i>Scarus festivus</i>	LC	24%	40%	1
Scarinae	<i>Scarus flavipectoralis</i>	LC	21%	34%	1
Scarinae	<i>Scarus forsteni</i>	LC	18%	31%	1
Scarinae	<i>Scarus frenatus</i>	LC	19%	33%	1
Scarinae	<i>Scarus fuscocaudalis</i>	LC	34%	51%	1
Scarinae	<i>Scarus fuscopurpureus</i>	LC	17%	23%	3
Scarinae	<i>Scarus ghobban</i>	LC	18%	34%	2
Scarinae	<i>Scarus globiceps</i>	LC	18%	31%	2
Scarinae	<i>Scarus guacamaia</i>	DD	14%	37%	3
Scarinae	<i>Scarus hoefleri</i>	LC	no data	no data	3
Scarinae	<i>Scarus hypselopterus</i>	NT	39%	59%	2
Scarinae	<i>Scarus iseri</i>	LC	14%	37%	3
Scarinae	<i>Scarus koputea</i>	LC	3%	5%	3
Scarinae	<i>Scarus longipinnis</i>	LC	3%	9%	1
Scarinae	<i>Scarus maculipinna</i>	DD	40%	60%	1
Scarinae	<i>Scarus niger</i>	LC	19%	33%	1
Scarinae	<i>Scarus obishime</i>	DD	20%	42%	3
Scarinae	<i>Scarus oviceps</i>	LC	18%	31%	1
Scarinae	<i>Scarus ovifrons</i>	DD	23%	45%	3
Scarinae	<i>Scarus perrico</i>	LC	13%	49%	3
Scarinae	<i>Scarus persicus</i>	LC	70%	85%	3
Scarinae	<i>Scarus prasiognathos</i>	LC	34%	53%	1
Scarinae	<i>Scarus psittacus</i>	LC	19%	33%	1
Scarinae	<i>Scarus pyrrostethus</i>	LC	19%	33%	3
Scarinae	<i>Scarus quoyi</i>	LC	30%	48%	2
Scarinae	<i>Scarus rivulatus</i>	LC	21%	35%	3
Scarinae	<i>Scarus rubroviolaceus</i>	LC	20%	34%	3
Scarinae	<i>Scarus russelii</i>	LC	20%	42%	1
Scarinae	<i>Scarus scaber</i>	LC	16%	32%	1
Scarinae	<i>Scarus schlegeli</i>	LC	18%	30%	3
Scarinae	<i>Scarus spinus</i>	LC	18%	31%	1
Scarinae	<i>Scarus taeniopterus</i>	LC	14%	37%	3
Scarinae	<i>Scarus tricolor</i>	LC	28%	46%	1
Scarinae	<i>Scarus trispinosus</i>	EN	13%	53%	3
Scarinae	<i>Scarus vetula</i>	LC	14%	37%	2
Scarinae	<i>Scarus viridifucatus</i>	LC	28%	48%	2
Scarinae	<i>Scarus xanthopleura</i>	LC	29%	46%	1
Scarinae	<i>Scarus zelindae</i>	DD	13%	53%	3
Scarinae	<i>Scarus zufar</i>	DD	70%	85%	3
Scarinae	<i>Sparisoma amplum</i>	LC	13%	53%	3
Scarinae	<i>Sparisoma atomarium</i>	LC	14%	37%	3

Scarinae	<i>Sparisoma aurofrenatum</i>	LC	14%	37%	3
Scarinae	<i>Sparisoma axillare</i>	DD	13%	53%	3
Scarinae	<i>Sparisoma chrysopterum</i>	LC	14%	37%	3
Scarinae	<i>Sparisoma cretense</i>	LC	no data	no data	3
Scarinae	<i>Sparisoma frondosum</i>	DD	13%	49%	3
Scarinae	<i>Sparisoma griseorubrum</i>	DD	13%	53%	3
Scarinae	<i>Sparisoma radians</i>	LC	14%	37%	3
Scarinae	<i>Sparisoma rubripinne</i>	LC	14%	37%	3
Scarinae	<i>Sparisoma strigatum</i>	LC	no data	no data	3
Scarinae	<i>Sparisoma tuiupiranga</i>	LC	13%	53%	3
Scarinae	<i>Sparisoma viride</i>	LC	14%	37%	3

Exclusively coral reef dependent	1
Primarily found in coral reef	2
coral reef [Mixed habitat	3