

	<i>G. morhua</i>	<i>L. piscatorius</i>	<i>L. whiffiagonis</i>	<i>M. aeglefinus</i>	<i>M. kitt</i>	<i>M. merlangus</i>	<i>M. merluccius</i>	<i>N. norvegicus</i>	<i>P. virens</i>	<i>S. solea</i>	Min value	Max value	Average across species
<i>D. batis</i>	-3.0	-0.7	2.0	-2.5	1.8	-0.1	2.8	0.4	5.8	-5.2	-61.1	34.2	0.1
<i>L. circularis</i>	-2.8	-1.5	-0.6	3.9	0.8	7.5	0.7	1.1	7.5	0.3	-32.6	41.7	1.7
<i>R. alba</i>	8.3	-2.6	5.5	9.7	6.0	9.5	3.3	0.3	9.8	-0.8	-25.5	61.4	4.9
<i>R. clavata</i>	-2.2	-7.5	0.5	-1.6	1.5	1.4	-2.7	-0.9	-1.7	-1.3	-55.6	33.0	-1.4
<i>R. undulata</i>	-4.7	0.2	-0.7	-5.5	-4.5	-0.6	3.2	-0.9	-3.1	-2.9	-32.7	31.5	-1.9
<i>S. Squatina</i>	-3.7	-5.8	-5.0	-5.2	-3.6	-0.6	-1.1	-1.6	-1.2	0.7	-34.9	34.0	-2.7
<i>S. stellaris</i>	6.4	-5.8	-4.4	3.7	1.2	-0.1	-0.6	-1.0	7.1	1.1	-51.7	33.21	0.8
Total average	1.3	-5.5	1.1	1.8	2.7	3.8	1.3	0.8	3.7	-0.2	-34.9	34.0	1.1
Total Median	-2.03	-3.03	0.59	1.14	1.25	1.97	0.75	-0.43	3.79	-1.04			