

## S3 Text. Comorbidity

**Table A. Comparison of Charlson scores from medical records and from PAS**

| Source          | Mean score | Percent score > 2 |
|-----------------|------------|-------------------|
| Medical records | 1.4        | 17                |
| PAS             | 0.89       | 11                |

Estimated using stratum weights. N=1043

**Table B. Percentages of cases with individual Charlson comorbidities from medical records vs PAS**

| Comorbidity                         | Source          |      |
|-------------------------------------|-----------------|------|
|                                     | Medical records | PAS  |
| Congestive heart failure            | 11              | 11   |
| Dementia                            | 22              | 9.6  |
| Chronic pulmonary disease           | 12              | 7.8  |
| Rheumatic disease                   | 5.0             | 2.8  |
| Mild liver disease                  | 0.15            | 0.11 |
| Diabetes with chronic complications | 3.1             | 1.7  |
| Hemiplegia/paraplegia               | 1.9             | 0.24 |
| Renal disease                       | 4.0             | 3.9  |
| Malignancy                          | 13              | 6.8  |
| Moderate or severe liver disease    | 0.0             | 0.07 |
| Metastatic solid tumor              | 2.6             | 2.9  |
| AIDS/HIV                            | 0.0             | 0.0  |

Estimated using stratum weights. N=1043