



<i>Scytophyllum bergeri</i>	81	0.3580	0.0864	0.0370	0.0370	15	5	8	2	7
<b>Pteridophytes or Pteridosperms</b> [1, 0.07 %]										
<i>Lugardonia paradoxa</i>	5	0	0	0	0	0	0	0	0	0
<b>Cycadophytes</b> [292, 23.17 %]										
<i>Bjuvia dolomitica</i>	5	0.2	0	0	0	2	0	2	0	2
<i>Bjuvia</i> sp.	130	0.2	0.0615	0.0230	0	12	5	7	0	5
<i>Dioonitocarpidium</i> sp.	45	0.1111	0	0.0222	0	3	1	1	1	2
<i>Nilssonia neuberi</i>	1	1	1	0	0	1	1	0	0	1
<i>Pterophyllum</i> sp.	15	0.1333	0.0666	0	0.0666	2	1	1	0	2
<i>Taeniopteris</i> sp.	13	0.4615	0	0	0	4	0	3	1	2
<i>Taeniopteris</i> sp. 1	39	0.2307	0.1282	0.1025	0.0256	8	4	4	0	5
<i>Taeniopteris</i> sp. 2	44	0.25	0.1363	0.0454	0	6	4	2	0	3
<b>Coniferophytes</b> [321, 25.47 %]										
<i>Albertia</i> sp.	29	0.1379	0.0344	0.0344	0	4	1	3	0	3
<i>Pelourdea vogesiaca</i>	6	0.1666	0.1666	0	0	1	1	0	0	1
<i>Voltzia recubariensis</i>	59	0.0169	0.0169	0	0	1	0	1	0	1
<i>Voltzia</i> sp.	18	0.0555	0	0	0	1	1	0	0	1
<i>Voltzia</i> sp. 1	102	0.0294	0.0190	0.0196	0	3	2	1	0	2
<i>Voltzia walchiaeformis</i>	14	0	0	0	0	0	0	0	0	0
cone (♀)	67	0	0	0	0	0	0	0	0	0
cone (♂)	13	0.0769	0	0	0	1	0	0	1	1
conifer wood indet.	13	0.3076	0.0769	0.0769	0	4	1	3	0	4
<b>Incertae sedis</b> [13, 1.03 %]										
seed type 1	13	0	0	0	0	0	0	0	0	0
TOTALS	1260	0.1079	0.0357	0.0166	0.004	37	17	16	4	6